

General instructions for cleaning and care































no.2 Rubber surfacing (smooth or with slight profile structure)

cleaning system without treatment
end of construction

object _____
address _____
room classification _____

date _____
customer _____
representative _____

work process: select one work stage from each number

cleaning method	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1  dusting damp mopping 			Masslinn S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	
1  dry vacuum cleaning 			V S Dust roller nozzle V Combi-nozzle	Twinvac Monovac Portavac	
cleaning without maintenance care product (if coating follows)					
2  wet mopping single step 	V Ecofloor Reshine	0.5 - 1% 1 - 2%	Silksmooth-mop Microsmooth-mop Microbrush-mop	Wetbox system Socar / Drewell Wetcar / Drewell	
2  scrubber drying single step 	V Ecofloor Reshine	0.5 - 1% 1 - 2%	● Pad red S  Microsol fibre pad V  Pad blue	Duo- / Discomatic Sprinter / Drivematic	
2  wet scrubbing and wet vacuuming 	Antiwax forte Antiwax	0.5 - 1% 0.5 - 1%	● Pad red S  Microsol fibre pad V  Pad blue	Monomatic LS Watertank Duovac	heavily soiled  
cleaning with maintenance care (first protective treatment with same product as in maintenance cleaning)					
3  wet mopping single step 	Redur Remop	3 - 4% 2 - 3%	Silksmooth-mop Microsmooth-mop Microbrush-mop	Wetbox system Socar / Drewell Wetcar / Drewell	
3  scrubber drying single step 	Redur Remop	3 - 4% 2 - 3%	● Pad red S  Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	
3  spray cleaning full spray 	Polyspray	100%	● Pad red P  HS-Polish pad beige P  HS-Polish pad white	Monomatic DS Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: Do not coat floors with PUR coating provided in the factory !

General instructions for cleaning and care

no.2 Rubber surfacing (smooth or with slight profile structure)



maintenance cleaning

object _____

date _____















address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

↓	cleaning method	freq uenc	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping	<input type="checkbox"/>			Masslinn S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Monovac Portavac Twinvac	
cleaning without maintenance							
2	 wet mopping single step	<input type="checkbox"/>	Ecofloor Reshine Alcosal	0.5 - 1% 1 - 2% 1 - 2%	Silkysmooth-mop Microsmooth-mop Microbrush-mop	Wetbox system Wetcar / Drewell Socar / Drewell	
2	 spray mopping (wet mopping)	<input type="checkbox"/>	Ecofloor Reshine Alcosal	0.5 - 1% 1 - 2% 1 - 2%	V Micro nonwoven-1- Micro woven-1- Silkysmooth-1-	Variwet handle Balit with velcro Micro velcro sole	
2	 scrubber drying single step	<input type="checkbox"/>	Ecofloor Reshine Libero	0.5 - 1% 1 - 2% 0.5 - 3%	● Pad red S ● Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	
cleaning with maintenance							
2	 wet mopping single step	<input type="checkbox"/>	Redur Remop	1 - 4% 1 - 2%	V Silkysmooth-mop Microsmooth-mop Microbrush-mop	Wetbox system Wetcar / Drewell Socar / Drewell	
2	 spray mopping (wet mopping)	<input type="checkbox"/>	Redur Remop	1 - 4% 1 - 2%	V Micro nonwoven-1- Micro woven-1- Silkysmooth-1-	Variwet handle Balit with velcro Micro velcro sole	
2	 scrubber drying single step	<input type="checkbox"/>	Redur Remop	1 - 4% 1 - 2%	● Pad red S ● Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	
2	 spray cleaning partial / full spray	<input type="checkbox"/>	Polyspray	100%	● Pad red P ● HS-Polish pad beige P ○ HS-Polish pad white	Monomatic DS Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

General instructions for cleaning and care

no.2 Rubber surfacing (smooth or with slight profile structure)





















interim cleaning

object _____
 address _____
 room classification _____

date _____
 customer _____
 representative _____

work process: select one work stage from each number

cleaning method	freq uenc	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1  dusting damp mopping	<input type="checkbox"/>			Masslinn S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	
1  dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Monovac Twinvac Portavac	
cleaning without maintenance						
2  wet mopping two-step	<input type="checkbox"/>	Polex B Reshine G Rewit 2000	2 - 4% 2 - 5% 2 - 5%	Microsmooth-mop Silkysmooth-mop	Socar / Drewell Wetcar / Drewell	 
2  scrubber drying two-step	<input type="checkbox"/>	Polex B Reshine G Rewit 2000	2 - 4% 2 - 5% 2 - 5%	● Pad red S  Microsol fibre pad V  Pad blue	Duo- / Discomatic Sprinter / Drivematic	 
2  polishing, vacuum polishing	<input type="checkbox"/>			B  HS-Polish pad beige B  HS-Polish pad white	Monomatic HS Suction ring Monoma	after polishing 
cleaning with maintenance						
2  spray cleaning full spray	<input type="checkbox"/>	Polyspray	100%	● Pad red P  HS-Polish pad beige P  HS-Polish pad white	Monomatic DS Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: For initial cleaning after interim cleaning, see "initial cleaning".

General instructions for cleaning and care

































no.2 Rubber surfacing (smooth or with slight profile structure)

basic cleaning

object _____
 address _____
 room classification _____

date _____
 customer _____
 representative _____

work process: select one work stage from each number

cleaning method	freq uenc	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1  dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Twinnac Monovac Portovac	
1  dusting damp mopping	<input type="checkbox"/>			Masslinn S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	
2  chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100% 100%			if needed 
cleaning without maintenance						
3  wet scrubbing and wet vacuuming	<input type="checkbox"/>	G Rewit 2000 C Antiwax forte classic B Relino	10 - 20% 30 - 50% 20 - 50%	B  Pad green G  Pad blue S  Microsol fibre pad	Monomatic LS Watertank Twinnac / Duovac	 
3  scrubber drying two-step	<input type="checkbox"/>	G Rewit 2000 G Antiwax forte classic B Relino	10 - 20% 30 - 50% 20 - 50%	B  Pad green G  Pad blue S  Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	large areas  
3  spray cleaning full spray	<input type="checkbox"/>	B Antiwax forte classic	30 - 50%	 Pad blue V  Pad green	Monomatic LS Spray unit	change pad often. 
4  rinsing	<input type="checkbox"/>	pure water	100%	 Pad blue S  Microsol fibre pad	Monomatic LS Watertank Twinnac / Duovac	after spray cleaning not necessary.  
4  rinsing	<input type="checkbox"/>	pure water	100%	 Pad blue S  Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	after spray cleaning not necessary.  

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: For initial cleaning after basic cleaning, see "initial cleaning".

General instructions for cleaning and care









no.2 Rubber surfacing (smooth or with slight profile structure)

protective treatment

object _____ date _____
 address _____ customer _____
 room classification _____ representative _____

work process: select one work stage from each number

cleaning method	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1  dusting  damp mopping <input type="checkbox"/>			* Masslinn 2000 S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	
coating					
2   coating <input type="checkbox"/>	Mepol HM Mepol H Stoner	100% 100% 100%	Cover for Florfix Florfix-mop	Florfix Balit with velcro	1 - 3 thin layers  

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: if needed

Do not coat floors with PUR coating provided in the factory !

before protective treatment: the floor must be perfectly stripped, thoroughly rinsed and completely dry!

Process treatment of protection: see description of method.

For initial cleaning with maintenance cleaner after protective treatment, see "initial cleaning".

General instructions for cleaning and care



no.2 Rubber surfacing (smooth or with slight profile structure)

Information about the flooring




Wetrok AG cannot accept any liability for damages due to improper use.
For security information, see the safety data sheet at www.wetrok.com.
Wear the required personal protective equipment (PPE): e.g. protective gloves, safety goggles, work shoes.
Follow the information and remarks on the label, product data sheet and material safety data sheet.
The product data sheet describes the product and gives information about its application, storage. See www.wetrok.com.
The recommended colours of pad and brushes consist to the actual wWetrok product range.
Follow the special cleaning and care instructions of the floor manufacturer.
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



Rubber floor coverings are sensitive to strong alkalines such as soft soap and basic cleaners. Colour change: material damage!
Rubber floor coverings are sensitive to certain solvents such as ketone and ester.

Fat-soluble colorants such as shoe polish or asphalt can penetrate into rubber floor coverings: diffusion.
Mould-release agents from production (silicone or paraffin-based) must be completely removed before basic treatment.
Paraffin-like antioxidants can migrate to the surface over time and form white clouds. These can be polished out.



Rubber floor coverings are a blend of synthetic and natural rubber, sulphur (vulcanising agent), fillers and colour pigments.

Distinguishing feature: fire assay with a glowing hot needle in an inconspicuous place: the needle penetrates only slightly, typical rubber smell, no crater formation.



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.
Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.
Test on an inconspicuous spot to find which product is suitable for your requirements.
Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.
Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.
For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.