## no.55 Cork linoleum (not sealed)



| cleaning system with treatment |  |
|--------------------------------|--|
| end of construction            |  |

| object              | date           |  |
|---------------------|----------------|--|
| address             | customer       |  |
| room classification | representative |  |

work process: select one work stage from each number

| ۲ | cleaning method                    |        | recommendations * chemical products                      | dosage                                | *          | recommendations<br>pad / brush / mop / cloth                | recommendations<br>machine / tool                           | comments        |
|---|------------------------------------|--------|--|---------------------------------------|------------|---|---|-----------------|
| 1 | dusting<br>damp mopping            |        |  |                                       |            | Masslinn yellow / Floorwit ye                               |   |                 |
| 1 | dry vacuum<br>cleaning             |        |  |                                       | VS<br>V    | Dust roller nozzle<br>Combi-nozzle                          | <b>Twinvac</b><br>Monovac<br>Portavac                       | if needed       |
|   | cleaning without maintenance       | care   | product (if coating follo                                | ws)                                   |            |   |   |                 |
| 2 | wet mopping<br>single step         |        | Ecofloor<br>V Reshine                                    | <b>0.5 - 1%</b><br>1 - 2%             |            | Silkysmooth-mop<br>Microsmooth-mop<br>Microbrush-mop        | <b>Wetbox system</b><br>Socar / Drewell<br>Wetcar / Drewell |                 |
| 2 | scrubber drying single step        |        | <b>Ecofloor</b><br>V Reshine                             | <b>0.5 - 1%</b><br>1 - 2%             | v          | <b>Pad red</b><br>Microsol fibre pad<br>Pad blue            | Duo- / Discomatic<br>Sprinter / Drivematic                  |                 |
| 2 | wet scrubbing and<br>wet vacuuming |        | <b>Reshine</b><br>Antiwax forte<br>Antiwax forte classic | <b>1 - 2%</b><br>0.5 - 1%<br>0.5 - 1% | v O        | <b>Pad red</b><br>Microsol fibre pad<br>Pad blue            | Monomatic I / LS<br>Watertank<br>Twinvac / Duovac           | heavily soiled  |
|   | cleaning with maintenance car      | e (fir | st protective treatment v                                | vith same p                           | roduc      | t as in maintenance cleaning)                               | -   |                 |
| 3 | wet mopping<br>single step         |        | <b>Redur</b><br>Remop                                    | <b>3 - 4%</b><br>2 - 3%               |            | <b>Silkysmooth-mop</b><br>Microsmooth-mop<br>Microbrush-mop | <b>Wetbox system</b><br>Socar / Drewell<br>Wetcar / Drewell |                 |
| 3 | scrubber drying single step        |        | <b>Redur</b><br>Remop                                    | <b>3 - 4%</b><br>2 - 3%               |            | Pad red<br>Microsol fibre pad                               | Duo- / Discomatic<br>Sprinter / Drivematic                  |                 |
| 3 | spray cleaning<br>full spray       |        | <b>Waxspray</b><br>Polish                                | <b>100%</b><br>30%                    | Р —<br>Р — | Pad red<br>HS-Polish pad beige<br>HS-Polish pad white       | Monomatic DS<br>Spray unit                                  | after polishing |

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

**important:** e.g. spot removal and basic cleaning with protective treatment. When spray cleaning, you should change your pad often.

## no.55 Cork linoleum (not sealed)



| maintenance cleaning                                 |                                     |                          |                                       | object                                |  | date  |  |                 |
|--|-------------------------------------|--------------------------|---------------------------------------|---------------------------------------|--|---|--|-----------------|
| work process: select one work stage from each number |                                     |                          | a<br>room classif                     | ddress                                |  | customer<br>representative  |  |                 |
|  |                                     |                          |                                       | 100111 0183311                        |  |   |  |                 |
|  | cleaning method                     | freq<br>uenc             | recommendations * chemical products   | dosage                                | *                                      | recommendations<br>pad / brush / mop / cloth  | recommendations<br>machine / tool                        | comments        |
| 1  | dusting<br>damp mopping             | ,,<br>                   |                                       |                                       | B S<br>B S                             | <b>Masslinn</b><br>Microsol cloth<br>Synthetic fur                                    | Balit with pad sole<br>Balit with velcro                 |                 |
| 1  | dry vacuum<br>cleaning              |                          |                                       |                                       | VS<br>V                                | Dust roller nozzle<br>Combi-nozzle  | <b>Monovac</b><br>Portavac<br>Twinvac                    | if needed       |
|  | cleaning without maintenanc         | е                        |                                       |                                       |  |   |  |                 |
| 2  | wet mopping<br>single step          |                          | <b>Ecofloor</b><br>Reshine<br>Alcosal | <b>0.5 - 1%</b><br>1 - 2%<br>1 - 2%   | v s                                    | Microbrush-mop<br>Microsmooth-mop<br>Silkysmooth-mop                                  | Wetbox system<br>Wetcar / Drewell<br>Socar / Drewell     |                 |
| 2  | spray mopping (wet mopping)         |                          | <b>Ecofloor</b><br>Reshine<br>Alcosal | <b>0.5 - 1%</b><br>1 - 2%<br>1 - 2%   | V                                      | Micro nonwoven-1-<br>Micro woven-1-<br>Silkysmooth-1-                                 | Variwet handle<br>Balit with velcro<br>Micro velcro sole |                 |
| 2  | scrubber drying single step         | <u> </u>                 | <b>Ecofloor</b><br>Reshine<br>Libero  | <b>0.5 - 1%</b><br>1 - 2%<br>0.5 - 3% | B<br>F<br>S                            |   | Duo- / Discomatic<br>Sprinter / Drivematic               |                 |
| 2  | HS I US polishing, vacuum           |                          |                                       |                                       | B<br>F<br>C                            | US-Polish pad beige<br>HS-Polish pad beige<br>Microsol fibre pad                      | Monomatic US<br>Suction ring<br>Monomatic HS             | after polishing |
|  | cleaning with maintenance           |                          |                                       | 4 40/                                 |  | <u></u>   |  |                 |
| 2  | wet mopping<br>single step          | ,,<br>, , , ,<br>, , , , | <b>Redur</b><br>Remop                 | <b>1 - 4%</b><br>1 - 2%               | V S                                    | <b>Microbrush-mop</b><br>Silkysmooth-mop<br>Silkysmooth-mop                           | Wetbox system<br>Wetcar / Drewell<br>Socar / Drewell     |                 |
| 2  | scrubber drying single step         |                          | <b>Redur</b><br>Remop                 | <b>1 - 4%</b><br>1 - 2%               | B <b>—</b><br>F <b>—</b><br>S <b>—</b> | <ul> <li>Pad red</li> <li>Pad blue</li> <li>Microsol fibre pad</li> </ul>             | Duo- / Discomatic<br>Sprinter / Drivematic               |                 |
| 2  | spray cleaning partial / full spray |                          | Waxspray<br>C Polish<br>B Polyspray   | <b>100%</b><br>30%<br>100%            | P<br>P                                 | <ul> <li>Pad red</li> <li>HS-Polish pad beige</li> <li>HS-Polish pad white</li> </ul> | Monomatic DS<br>Spray unit                               | after polishing |

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: When spray cleaning, you should change your pad often.

# no. 55 🔀 Cork linoleum (not sealed)



#### interim cleaning

| interim cleaning |                                    |   |                           |                         | object                                 |   | date                                       |                 |
|------------------|------------------------------------|---|---------------------------|-------------------------|--|---|--|-----------------|
|                  |                                    |   |                           | a                       | ddress                                 |   | customer                                   |                 |
|                  |                                    |   |                           | room classif            | ication                                |   | representative                             |                 |
| work             | process: select one work stage fro | om each                                 | number                    |                         |  |   | _  |                 |
| Įļ               |                                    | freq                                    | recommendations           | deeewe                  | *                                      | recommendations                                       | recommendations                            |                 |
| $\sim$           | cleaning method                    | uenc                                    | * chemical products       | dosage                  |  | pad / brush / mop / cloth<br>Masslinn                 | machine / tool                             | comments        |
| 1                | dusting<br>damp mopping            | ,<br>                                   |                           |                         | B S<br>B S                             | Microsol cloth<br>Synthetic fur                       | Balit with pad sole<br>Balit with velcro   |                 |
| 1                | dry vacuum cleaning                | ,,<br>, , , , , , , , , , , , , , , , , |                           |                         | V S<br>V                               | Dust roller nozzle<br>Combi-nozzle                    | <b>Monovac</b><br>Portavac<br>Twinvac      | if needed       |
|                  | cleaning without maintenand        | e:                                      |                           |                         |  |   |  |                 |
| 2                | wet mopping<br>two-step            | ,,<br>       <br>                       | <b>Reshine</b><br>Polex   | <b>2 - 5%</b><br>2 - 4% |  | Microsmooth-mop<br>Silkysmooth-mop                    | Socar / Drewell<br>Wetcar / Drewell        |                 |
| 2                | scrubber drying<br>two-step        |   | <b>Reshine</b><br>Polex   | <b>2 - 5%</b><br>2 - 4% | В <b>—</b><br>V <b>—</b><br>F <b>—</b> | Pad red<br>Pad blue<br>Microsol fibre pad             | Duo- / Discomatic<br>Sprinter / Drivematic |                 |
|                  | cleaning with maintenance          |   |                           |                         |  |   |  |                 |
| 2                | spray cleaning<br>full spray       |   | <b>Waxspray</b><br>Polish | <b>100%</b><br>30%      | P O                                    | Pad red<br>HS-Polish pad beige<br>HS-Polish pad white | Monomatic DS<br>Spray unit                 | after polishing |

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: When spray cleaning, you should change your pad often. For initial cleaning after interim cleaning, see "initial cleaning".

# no.55 Cork linoleum (not sealed)



|        | basic cleaning                     |   |  |   | objec    | t   | date  |                 | -    |
|--------|------------------------------------|---|--|---|----------|---|---|-----------------|------|
|        |                                    |   | a uash a r   |   | ddress   |   | customer  |                 |      |
| WOLK   | process: select one work stage fro | m each                                  | number   | room classif                            | ication  | ۱   | representative                                    |                 |      |
| Ś      | 7                                  | freq                                    | recommendations  |   |          | recommendations   | recommendations                                   |                 |      |
| $\sim$ | cleaning method                    | uenc                                    | * chemical products  | dosage                                  | *        | pad / brush / mop / cloth   | machine / tool                                    | comments        |      |
| 1      | dry vacuum<br>cleaning             |   |  |   | V S<br>V | Dust roller nozzle<br>Combi-nozzle  | <b>Twinvac</b><br>Portavac<br>Monovac             | if needed       |      |
| 2      | dusting<br>damp mopping            |   |  |   | S<br>B S | <b>Masslinn</b><br>Microsol cloth<br>Synthetic fur                          | Balit with pad sole<br>Balit with velcro          |                 |      |
| 3      | chewing gum<br>removal             | ,<br>                                   | Karpfrost<br>Karpotek  | <b>100%</b><br>100%                     |          |   |   | if needed       |      |
|        | cleaning without maintenanc        | e                                       |  |   |          |   |   |                 |      |
| 4      | wet scrubbing and wet vacuuming    |   | <ul><li>B Relino</li><li>C Antiwax forte</li><li>C Antiwax forte classic</li></ul> | <b>20 - 50%</b><br>30 - 50%<br>30 - 50% | B<br>F   | Pad green<br>Pad blue<br>Microsol fibre pad                                 | Monomatic I / LS<br>Watertank<br>Twinvac / Duovac | heavily soiled  |      |
| 4      | scrubber drying<br>two-step        | ,,<br>, , , , , , , , , , , , , , , , , | <ul><li>B Relino</li><li>C Antiwax forte</li><li>C Antiwax forte classic</li></ul> | <b>20 - 50%</b><br>30 - 50%<br>30 - 50% | B<br>F   | <ul> <li>Pad green</li> <li>Pad blue</li> <li>Microsol fibre pad</li> </ul> | Duo- / Discomatic<br>Sprinter / Drivematic        | large<br>areas  |      |
| 4      | spray cleaning<br>full spray       | ,,<br>, , , , , , , , , , , , , , , , , | C Antiwax forte<br>C Antiwax forte classic   | <b>30 - 50%</b><br>30 - 50%             | B<br>F   | <ul> <li>Pad green</li> <li>Pad blue</li> <li>Microsol fibre pad</li> </ul> | Monomatic I / LS<br>Spray unit                    | after polishing |      |
| 5      | rinsing                            |   | pure water   | 100%                                    |          | Pad blue<br>Microsol fibre pad  | Monomatic I / LS<br>Watertank<br>Twinvac / Duovac |                 | рн 7 |
| 5      | rinsing                            |   | pure water   | 100%                                    |          | Pad blue<br>Microsol fibre pad  | Duo- / Discomatic<br>Sprinter / Drivematic        | large<br>areas  | рн 7 |

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: change pad often.

Use a coin or a key to do a scratch test, to check if all the protective coating has been removed. When white abrasion occurs, carry out a full clean to remove all the protective coating.

## no.55 Cork linoleum (not sealed)



|                         | protective treatment                 |            |                                      |                             | object       |  | date   |  |
|-------------------------|--------------------------------------|------------|--------------------------------------|-----------------------------|--------------|--|--|--|
|                         |                                      |            |                                      |                             | ddress       |  | customer                                     |  |
|                         |                                      |            |                                      | room classif                | ication      |  | representative                               |  |
| worł                    | k process: select one work stage fro | m each     | number                               |                             |              |  |  |  |
| $\overline{\mathbf{V}}$ | cleaning method                      |            | recommendations * chemical products  | dosage                      | *            | recommendations<br>pad / brush / mop / cloth     | recommendations<br>machine / tool            | comments   |
| 1                       | dusting<br>damp mopping              |            |                                      |                             | ທ ທ          | Masslinn 2000<br>Microsol cloth<br>Synthetic fur | Balit with pad sole<br>Balit with velcro     |  |
| 1                       | dry vacuum<br>cleaning               | ,<br>      |                                      |                             | VS<br>V      | Dust roller nozzle<br>Combi-nozzle               | <b>Monovac</b><br>Portavac<br>Twinvac        | if needed  |
|                         | pore filling (only if necessary      | )          |                                      |                             |              |  |  |  |
| 2                       | pore filling                         | ,<br><br>  | F Porosol                            | 100%                        |              | Cover for Florfix<br>Florfix-mop                 | Florfix<br>Balit with velcro                 | If necessary, one<br>layer on porous<br>surface. |
|                         | coating                              |            |                                      |                             |              |  |  |  |
| 3                       | coating                              | ,<br>,<br> | <b>Mepol HM</b><br>Mepol H<br>Stoner | <b>100%</b><br>100%<br>100% |              | Cover for Florfix<br>Florfix-mop                 | Florfix<br>Balit with velcro                 | 1 - 3 thin layers                                |
| 3                       | waxing                               |            | Polish                               | 100%                        |              | Cover for Florfix<br>Florfix-mop                 | Florfix<br>Balit with velcro                 | 1 - 3 thin layers                                |
| 3                       | dusting<br>damp mopping              | ,<br>,<br> |                                      |                             | вS           | Masslinn 2000<br>Synthetic fur                   | Balit with pad sole<br>Balit with velcro     | if needed  |
|                         | buffing wax treatment (only it       | fneces     | ssary)                               |                             | -            |  |  |  |
| 4                       | нз рolishing, vacuum                 | ,<br><br>  |                                      |                             | с ()<br>с () | HS-Polish pad beige<br>HS-Polish pad white       | Monomatic HS<br>Suction ring<br>Suction unit | after polishing                                  |

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: before protective treatment: the floor must be perfectly stripped, thoroughly rinsed and completely dry!

Let dry protection treatment completely between the layers and before use.

Process treatement of protection: see descriptione of method.

For initial cleaning with maintenance cleaner after protective treatment, see "initial cleaning".

## no.55 Cork linoleum (not sealed)



#### Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.
For security information, see the safety data sheet at www.wetrok.com.
Wear the required personal protective equipment (PPE): e.g. protective gloves, safety goggles, work shoes.
Follow the information and remarks on the label, product data sheet and material safety data sheet.
The product data sheet describes the product and gives information about its application, storage. See www.wetrok.com.
The recommended colours of pad and brushes consist to the actual wWetrok product range.
Follow the special cleaning and care instructions of the floor manufacturer.
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



Strong alkalines can destroy or discolour cork linoleum coverings. Use a special basic linoleum cleaner! Cork linoleum coverings are sensitive to abrasive pads and brushes. Cork linoleum coverings are largely insensitive to acids, fats, oils and solvents. Certain manufacturers give cork linoleum coverings a surface finish at the factory (first maintenance).

Cork linoleum is a 100% natural product consisting of linseed oil, wood and cork granulates, resins, colorants and limestone on a jute underlay. Distinguishing feature: fire assay with a glowing hot needle in an inconspicuous place: needle penetrates, typical smell, crater can be removed with the fingers.



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.

Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.

- Test on an inconspicuous spot to find which product is suitable for your requirements.
- Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.
- Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us. For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, telephone +41 (0)43 255 51 51, info@wetrok.ch, www.wetrok.com.