

General instructions for cleaning and care

no.22 Hard concrete, untreated (smooth)





























cleaning system with treatment
end of construction

object _____
address _____
room classification _____

date _____
customer _____
representative _____

work process: select one work stage from each number

cleaning method	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1  dry vacuum cleaning <input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Twinvac Monovac Portavac	
1  vacuum sweeping <input type="checkbox"/>			V	Speedmatic Twister Master Sweep Turbo Sweep	large areas
1  dusting damp mopping <input type="checkbox"/>			Masslinn 2000 S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	if needed
cleaning without maintenance care product (if coating follows)					
2  wet mopping single step <input type="checkbox"/>	Ecofloor V Reshine V Antiwax forte classic	0.5 - 1% 1 - 2% 0.5 - 1%	Microbrush-mop Microsmooth-mop V S Silkysmooth-mop	Wetbox system Socar / Drewell Wetcar / Drewell	
2  scrubber drying single step <input type="checkbox"/>	Ecofloor V Reshine V Antiwax forte classic	0.5 - 1% 1 - 2% 0.5 - 1%	 Microsol fibre pad  Pad red S  Scrubbing brush Filament	Duo- / Discomatic Sprinter / Drivematic	
2  wet scrubbing and wet vacuuming <input type="checkbox"/>	Antiwax forte classic Rewit 2000	0.5 - 1% 0.5 - 1%	 Microsol fibre pad  Pad red S  Scrubbing brush Filament	Monomatic LS Watertank Twinvac / Duovac	heavily soiled  
2  dry sanding <input type="checkbox"/>			V  Pad green V  Pad black	Monomatic I / LS Suction ring Monoma	attention:   modification of surface
cleaning with maintenance care (first protective treatment with same product as in maintenance cleaning)					
3  wet mopping single step <input type="checkbox"/>	Redur F Brill 2care	3 - 4% 3 - 5% 3 - 5%	Microbrush-mop Microsmooth-mop V S Silkysmooth-mop	Wetbox system Socar / Drewell Wetcar / Drewell	Brill should be used with Silkysmooth mop only. 
3  scrubber drying single step <input type="checkbox"/>	Redur F Brill 2care	3 - 4% 3 - 5% 3 - 5%	 Microsol fibre pad  Pad red S  Scrubbing brush Filament	Duo- / Discomatic Sprinter / Drivematic	

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

General instructions for cleaning and care

no.22 Hard concrete, untreated (smooth)



maintenance cleaning

object _____

date _____














address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

	cleaning method	freq uenc	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Monovac Twinvac Portovac	
1	 vacuum sweeping	<input type="checkbox"/>			V	Speedmatic Twister Master Sweep Turbo Sweep	large areas
1	 dusting damp mopping	<input type="checkbox"/>			B S Masslinn 2000 B S Microsol cloth B S Synthetic fur	Balit with pad sole Balit with velcro	if needed
cleaning without maintenance							
2	 wet mopping single step	<input type="checkbox"/>	Ecofloor Reshine Biosan	0.5 - 1% 1 - 2% 0.8 - 1.5%	V S Microbrush-mop Microsmooth-mop Silkysmooth-mop	Wetbox system Wetcar / Drewell Socar / Drewell	
2	 spray mopping (wet mopping)	<input type="checkbox"/>	Ecofloor Reshine Biosan	0.5 - 1% 1 - 2% 0.8 - 1.5%	V Micro nonwoven-1- Micro woven-1- Silkysmooth-1-	Variwet handle Balit with velcro Micro velcro sole	
2	 scrubber drying single step	<input type="checkbox"/>	Ecofloor Reshine Libero	0.5 - 1% 1 - 2% 0.5 - 3%	⊙ Microsol fibre pad B ● Pad red S ⊙ Scrubbing brush Filament	Duo- / Discomatic Sprinter / Drivematic	
cleaning with maintenance							
2	 wet mopping single step	<input type="checkbox"/>	F Redur Brill	1 - 4% 1 - 2%	V S Microbrush-mop Microsmooth-mop Silkysmooth-mop	Wetbox system Wetcar / Drewell Socar / Drewell	Brill should be used with Silkysmooth mop only. 
2	 spray mopping (wet mopping)	<input type="checkbox"/>	Redur Brill	1 - 4% 1 - 2%	V Micro nonwoven-1- Micro woven-1- Silkysmooth-1-	Variwet handle Balit with velcro Micro velcro sole	
2	 scrubber drying single step	<input type="checkbox"/>	F Redur Brill B 2care	1 - 4% 1 - 2% 1 - 2%	⊙ Microsol fibre pad B ● Pad red S ⊙ Scrubbing brush Filament	Duo- / Discomatic Sprinter / Drivematic	

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

General instructions for cleaning and care

no.22  **Hard concrete, untreated (smooth)**



interim cleaning

object _____

date _____













address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

	cleaning method	freq uenc	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Monovac Twinvac Portavac	
1	 vacuum sweeping	<input type="checkbox"/>			V	Speedmatic Twister Master Sweep Turbo Sweep	large areas
1	 dusting damp mopping	<input type="checkbox"/>			B Masslinn 2000 B Masslinn B S Microsol cloth	Balit with pad sole Balit with velcro	if needed
cleaning without maintenance							
2	 wet mopping two-step	<input type="checkbox"/>	Reshine G Antiwax forte	2 - 5% 2 - 5%	V S Microsmooth-mop Microsmooth-mop Silkysmooth-mop	Socar / Drewell Wetcar / Drewell	 
2	 scrubber drying two-step	<input type="checkbox"/>	Reshine G Antiwax forte classic	2 - 5% 2 - 5%	B Microsol fibre pad B Pad red S Scrubbing brush Filament	Duo- / Discomatic Sprinter / Drivematic	 
2	 wet mopping single step	<input type="checkbox"/>	Biosan	3%	Silkysmooth-mop Microbrush-mop Micro nonwoven-1-	Socar / Drewell Wetbox system Variwet handle	if needed, bad smell could be removed with  

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

comments For initial cleaning after interim cleaning, see "initial cleaning".

General instructions for cleaning and care

no.22  **Hard concrete, untreated (smooth)**



basic cleaning

object _____

date _____



































address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

↓	cleaning method	freq uenc	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Twinvac Monovac Portavac	
1	 dusting damp mopping	<input type="checkbox"/>			B S Masslinn 2000 B S Microsol cloth B S Synthetic fur	Balit with pad sole Balit with velcro	if needed
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100% 100%			if needed 
cleaning without maintenance							
3	 wet scrubbing and wet vacuuming	<input type="checkbox"/>	Antiwax forte classic G Rewit 2000 B Remat forte	30 - 50% 10 - 20% 10 - 20%	 Microsol fibre pad  Pad green V  Pad black	Monomatic I / LS Watertank Twinvac / Duovac	attention: modification of surface   
3	 scrubber drying two-step	<input type="checkbox"/>	Antiwax forte classic G Rewit 2000 B Remat forte	30 - 50% 10 - 20% 10 - 20%	 Microsol fibre pad  Pad green V  Pad black	Duo- / Discomatic Sprinter / Drivematic	attention: modification of surface   
3	 dry sanding	<input type="checkbox"/>			 Pad green V  Pad black	Monomatic I / LS Suction ring	attention: modification of surface  
4	 rinsing	<input type="checkbox"/>		0 100%	 Microsol fibre pad  Pad green	Monomatic I / LS Watertank Twinvac / Duovac	pH 7 
4	 rinsing	<input type="checkbox"/>		0 100%	 Microsol fibre pad  Pad green	Duo- / Discomatic Sprinter / Drivematic	large areas pH 7 
5	 wet mopping single step	<input type="checkbox"/>	Biosan	3%	Silkysmooth-mop Microbrush-mop Micro nonwoven-1-	Socar / Drewell Wetbox system Variwet handle	if needed, bad smell could be removed with  

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

comments attention: modification of surface

General instructions for cleaning and care

no.22  **Hard concrete, untreated (smooth)**



protective treatment

object _____

date _____












address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

cleaning method	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
 1 dry vacuum cleaning			V S Dust roller nozzle V Combi-nozzle	Monovac Twinvac Portavac	if needed
 1 dusting damp mopping			S Masslinn 2000 S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	
pore filling (only if necessary)					
 2 pore filling	Porosol	100%	Cover for Florfix Florfix-mop Multi squeegee	Florfix Balit with velcro	If necessary, one layer on porous surface.  
coating					
 3 coating	Stoner	100%	Cover for Florfix Florfix-mop	Florfix Balit with velcro	1 - 3 thin layers  
coating					
 2 impregnation	F Imprasol	100%	Cover for Florfix Florfix-mop	Florfix Balit with velcro	apply first layer with care.  

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

comments before protective treatment: the floor must be perfectly stripped, thoroughly rinsed and completely dry!
 pore filling on heavy used floors only.
 do not coat impregnated floors.
 Process treatment of protection: see description of method.
 For initial cleaning with maintenance cleaner after protective treatment, see "initial cleaning".

General instructions for cleaning and care

no.22 Hard concrete, untreated (smooth)



Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.
For security information, see the safety data sheet at www.wetrok.com.
Wear the required personal protective equipment (PPE): e.g. protective gloves, safety goggles, work shoes.
Follow the information and remarks on the label, product data sheet and material safety data sheet.
The product data sheet describes the product and gives information about its application, storage. See www.wetrok.com.
The recommended colours of pad and brushes consist to the actual wWetrok product range.
Follow the special cleaning and care instructions of the floor manufacturer.
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



Strong acids can destroy hard concrete!

The fine surface material (laitance) can be removed mechanically. This changes the surface and the appearance of the covering.

Hard concrete coverings are relatively insensitive to abrasive pads and brushes.

Hard concrete coverings are largely insensitive to alkalines, fats, oils and solvents: staining!



Hard concrete is a 100% natural product consisting of cement mortar and fillers such as gravel for concrete, basalt, granite, quartz and carborundum.

Distinguishing feature: acid assay: apply a little sanitary cleaner to the hard concrete covering. Immediately foams up: material damage!



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.
Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.
Test on an inconspicuous spot to find which product is suitable for your requirements.
Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.
Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.
For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, telephone +41 (0)43 255 51 51, info@wetrok.ch, www.wetrok.com.