

# General instructions for cleaning and care

## no.32 Natural stone, acid-susceptible (polished)


























cleaning system without treatment  
end of construction

object \_\_\_\_\_  
address \_\_\_\_\_  
room classification \_\_\_\_\_

date \_\_\_\_\_  
customer \_\_\_\_\_  
representative \_\_\_\_\_

work process: select one work stage from each number

cleaning method	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1  dry vacuum cleaning <input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Twinvac Monovac Portovac	if needed
2  dusting damp mopping <input type="checkbox"/>			S Masslinn 2000 V Microsol cloth Multi squeegee	Balit with pad sole	
cleaning without maintenance care product (if coating follows)					
3  wet mopping single step <input type="checkbox"/>	V Ecofloor Reshine Alcosal	0.5 - 1% 1 - 2% 1 - 2%	Silkysmooth-mop Microsmooth-mop Microbrush-mop	Wetbox system Socar / Drewell Wetcar / Drewell	
3  scrubber drying single step <input type="checkbox"/>	V Ecofloor Reshine V Antiwax forte classic	0.5 - 1% 1 - 2% 0.5 - 1%	 Microsol fibre pad V  Pad red	Duo- / Discomatic Sprinter / Drivematic	
3  spray cleaning partial / full spray <input type="checkbox"/>	Reshine V Antiwax forte classic	1 - 2% 0.5 - 1%	 Microsol fibre pad V  Pad red	Monomatic I / LS Watertank Twinvac / Duovac	heavily soiled  
4  stain removal <input type="checkbox"/>	See cleaning instruction no 42				if needed
cleaning with maintenance care (first protective treatment with same product as in maintenance cleaning)					
5  wet mopping single step <input type="checkbox"/>	Redur Remop	3 - 4% 2 - 3%	Silkysmooth-mop Microsmooth-mop Microbrush-mop	Wetbox system Socar / Drewell Wetcar / Drewell	
5  scrubber drying single step <input type="checkbox"/>	Redur Remop	3 - 4% 2 - 3%	 Microsol fibre pad  Pad red	Duo- / Discomatic Sprinter / Drivematic	
5  spray cleaning full spray <input type="checkbox"/>	B Polyspray Elfspray	100% 100%	 Pad red P  HS-Polish pad beige P  HS-Polish pad white	Monomatic DS Spray unit	after polishing 

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

# General instructions for cleaning and care

## no.32 Natural stone, acid-susceptible (polished)



### maintenance cleaning

object \_\_\_\_\_

date \_\_\_\_\_






































address \_\_\_\_\_

customer \_\_\_\_\_

work process: select one work stage from each number

room classification \_\_\_\_\_

representative \_\_\_\_\_

↓	cleaning method	freq uenc	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting  damp mopping				B S Masslinn 2000 Synthetic fur	Balit with pad sole Balit with velcro	Vacuum dry if necessary.
<b>cleaning without maintenance</b>							
2	 wet mopping single step		<b>Ecofloor</b> Reshine Alcosal	<b>0.5 - 1%</b> 1 - 2% 1 - 2%	V S Microbrush-mop Microsmooth-mop Silkysmooth-mop	<b>Wetbox system</b> Wetcar / Drewell Socar / Drewell	
2	 spray mopping (wet mopping)		<b>Ecofloor</b> Reshine Alcosal	<b>0.5 - 1%</b> 1 - 2% 1 - 2%	V Micro nonwoven-1- Micro woven-1- Silkysmooth-1-	<b>Variwet handle</b> <b>Balit with velcro</b> <b>Micro velcro sole</b>	
2	 scrubber drying single step		<b>Ecofloor</b> Reshine Libero	<b>0.5 - 1%</b> 1 - 2% 0.5 - 3%	V  <b>Microsol fibre pad</b>  Pad red  Melamine pad	<b>Duo- / Discomatic</b> Sprinter / Drivematic	
2	 HS US polishing, vacuum polishing				B  <b>HS-Polish pad beige</b> B  HS-Polish pad white B  US-Polish pad beige	<b>Monomatic HS</b> <b>Suction ring Monoma</b> Monomatic US	after polishing 
<b>cleaning with maintenance</b>							
2	 wet mopping single step		<b>Redur</b> Remop	<b>1 - 4%</b> 1 - 2%	V S Microbrush-mop Microsmooth-mop Silkysmooth-mop	<b>Wetbox system</b> Wetcar / Drewell Socar / Drewell	
2	 spray mopping (wet mopping)		<b>Redur</b> Remop	<b>1 - 4%</b> 1 - 2%	V Micro nonwoven-1- Micro woven-1- Silkysmooth-1-	<b>Variwet handle</b> <b>Balit with velcro</b> <b>Micro velcro sole</b>	
2	 scrubber drying single step		<b>Redur</b> Remop	<b>1 - 4%</b> 1 - 2%	V  <b>Microsol fibre pad</b>  Pad red  Melamine pad	<b>Duo- / Discomatic</b> Sprinter / Drivematic	
2	 spray cleaning partial / full spray		<b>Polyspray</b> B Elf spray B US Restorer	<b>100%</b> 100% 100%	 <b>Pad red</b> P  HS-Polish pad beige P  HS-Polish pad white	<b>Monomatic DS</b> <b>Spray unit</b> Monomatic US	after polishing 

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

**important:** Sensitive or resistant against acid means against amidosulphuric acid.

# General instructions for cleaning and care

## no.32 Natural stone, acid-susceptible (polished)



### interim cleaning

object \_\_\_\_\_

date \_\_\_\_\_

































address \_\_\_\_\_

customer \_\_\_\_\_

work process: select one work stage from each number

room classification \_\_\_\_\_

representative \_\_\_\_\_

cleaning method step	freq uenc	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1  dry vacuum cleaning				V S <b>Dust roller nozzle</b> V Combi-nozzle	<b>Monovac</b> Portavac Twinvac	if needed
1  dusting damp mopping				B <b>Masslinn 2000</b> Masslinn B S Synthetic fur	<b>Balit with pad sole</b> Balit with velcro	
<b>cleaning without maintenance</b>						
2  wet mopping two-step		<b>Reshine</b> G Rewit 2000	<b>2 - 5%</b> 2 - 5%	V S <b>Microsmooth-mop</b> Silkysmooth-mop	<b>Socar / Drewell</b> Wetcar / Drewell	 
2  scrubber drying two-step		<b>Reshine</b> G Rewit 2000	<b>2 - 5%</b> 2 - 5%	 <b>Microsol fibre pad</b> V  Pad red	<b>Duo- / Discomatic</b> Sprinter / Drivematic	 
2  stain removal		See cleaning instruction no 42				if needed
2  polishing, vacuum polishing				B  <b>HS-Polish pad beige</b> B  HS-Polish pad white B  US-Polish pad beige	<b>Monomatic HS</b> <b>Suction ring Monoma</b> Monomatic US	after polishing 
<b>cleaning with maintenance</b>						
2  spray cleaning full spray		<b>Polyspray</b> B Elfspray	<b>100%</b> 100%	 <b>Pad red</b> P  HS-Polish pad beige P  HS-Polish pad white	<b>Monomatic DS</b> <b>Spray unit</b>	after polishing 
2  spray cleaning full spray		B <b>US Restorer</b>	<b>100%</b>	 <b>US-Polish pad beige</b>	<b>Monomatic US</b> <b>Spray unit</b>	after polishing 

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

**important:** Sensitive or resistant against acid means against amidosulphuric acid.

# General instructions for cleaning and care

## no.32 Natural stone, acid-susceptible (polished)



### basic cleaning

object \_\_\_\_\_

date \_\_\_\_\_

































address \_\_\_\_\_

customer \_\_\_\_\_

work process: select one work stage from each number

room classification \_\_\_\_\_

representative \_\_\_\_\_

↓	cleaning method	freq uenc	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Twinvac Monovac Portovac	if needed
2	 dusting damp mopping	<input type="checkbox"/>			B Masslinn 2000 B S Synthetic fur	Balit with pad sole Balit with velcro	
3	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100% 100%			if needed 
<b>cleaning without maintenance</b>							
4	 wet scrubbing and wet vacuuming	<input type="checkbox"/>	Antiwax forte classic 30 - 50% G Rewit 2000 B Relino	10 - 20% 20 - 50%	 Microsol fibre pad  Pad red B  Pad blue	Monomatic I / LS Watertank Twinvac / Duovac	  
4	 scrubber drying two-step	<input type="checkbox"/>	Antiwax forte classic 30 - 50% G Rewit 2000 B Relino	10 - 20% 20 - 50%	 Microsol fibre pad  Pad red B  Pad blue	Duo- / Discomatic Sprinter / Drivematic	large areas   
5	 rinsing	<input type="checkbox"/>	0	100%	 Microsol fibre pad  Pad red	Monomatic I / LS Watertank Twinvac / Duovac	 
5	 rinsing	<input type="checkbox"/>	0	100%	 Microsol fibre pad  Pad red	Duo- / Discomatic Sprinter / Drivematic	large areas  
6	 stain removal	<input type="checkbox"/>	See cleaning instruction no 42				if needed
7	 wet mopping single step	<input type="checkbox"/>	Biosan	3%	Silksmooth-mop Microbrush-mop Micro nonwoven-1-	Wetbox system Socar / Drewell Variwet handle	if needed, bad smell could be removed with  

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

**important:** For initial cleaning after basic cleaning, see "initial cleaning".

# General instructions for cleaning and care

## no.32 Natural stone, acid-susceptible (polished)



### protective treatment

object \_\_\_\_\_

date \_\_\_\_\_















address \_\_\_\_\_

customer \_\_\_\_\_

work process: select one work stage from each number

room classification \_\_\_\_\_

representative \_\_\_\_\_

cleaning method	recommendations * chemical products	dosage	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
<b>1</b>  dusting  damp mopping			* <b>Masslinn 2000</b> S Microsol cloth	<b>Balit with pad sole</b>	
<b>coating</b>					
<b>2</b>  coating	<b>Stoner</b>	<b>100%</b>	<b>Cover for Florfix</b> Florfix-mop	<b>Florfix</b> Balit with velcro	If necessary, one layer on porous surface.  
<b>3</b>  dusting  damp mopping			* <b>Masslinn 2000</b> B Masslinn B S Synthetic fur	<b>Balit with pad sole</b> Balit with velcro	if needed
<b>4</b>  HS  US polishing, vacuum polishing			B  <b>HS-Polish pad white</b> B  HS-Polish pad white B  US-Polish pad beige	<b>Monomatic HS</b> <b>Suction ring Monoma</b> Monomatic US	after polishing  

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

### important: if needed

Sensitive or resistant against acid means against amidosulphuric acid.

before protective treatment: the floor must be perfectly stripped, thoroughly rinsed and completely dry!

do not coat impregnated floors.

Let dry protection treatment completely between the layers and before use.

Process treatment of protection: see description of method.

For initial cleaning with maintenance cleaner after protective treatment, see "initial cleaning".

## General instructions for cleaning and care

### no.32 Natural stone, acid-susceptible (polished)



#### Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.  
For security information, see the safety data sheet at [www.wetrok.com](http://www.wetrok.com).  
Wear the required personal protective equipment (PPE): e.g. protective gloves, safety goggles, work shoes.  
Follow the information and remarks on the label, product data sheet and material safety data sheet.  
The product data sheet describes the product and gives information about its application, storage. See [www.wetrok.com](http://www.wetrok.com).  
The recommended colours of pad and brushes consist to the actual wWetrok product range.  
Follow the special cleaning and care instructions of the floor manufacturer.  
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



**Soft stone, e.g. marble, limestone (Jura-limestone, concha-limestone), Solnhofen stone, travertine, slate or sandstone is sensitive to acid.**

**Sensitive or resistant against acid means against amidosulphuric acid.**

**The polish can be sensitive to acids or alkalines. Test in an inconspicuous place!**

**Most grouts are acid sensitive. Soak the joints well before using acidic cleaners.**

**Strong alkalines can attack polished stone coverings and destroy the shine.**

**Soft stone is sensitive to scratches, only use suitable pads and brushes.**



There must be no coating in the open air and in wet rooms. Danger of slipping!

Fats and oils can penetrate into the stone covering. Stain formation!

Soak the joints well or saturate them with an alkali cleaning solution before removing cement residue or limescale.

Spray cleaning only for small joints and flat surfaces; no fillet joints.

Natural stone is a 100% natural product consisting of minerals such as quartz, feldspar, calcite, selenite, hornblende or mica.

The colour and the appearance of the stone varies depending on its origin.

Distinguishing feature: natural stone acid-proof acid assay: basic sanitary cleaner foams up: material damage!



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.

Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.

Test on an inconspicuous spot to find which product is suitable for your requirements.

Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.

Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.

For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or [academy@wetrok.ch](mailto:academy@wetrok.ch).