



consulting concept know-how **equipment** products academy service

Wetrok Monomatic



Turn up the power! With our new Monomatic single-disc machines

Come first in the cleaning race every time – with Wetrok’s new range of single-disc machines! Functional design and high performance ensure optimum manoeuvrability: the machine’s profile enables it to manoeuvre under low objects, it starts easily due to high startup speed, is convenient to handle due to optimum weight distribution and is perfectly equipped for all types of use. Each model is ideally designed to ensure an unparalleled driving experience for both men and women – whether for scrubbing washed concrete with the Monomatic I, or high-gloss polishing large areas with the Monomatic Ultraspeed.



1



2

Advantages of the Wetrok Monomatic

- Low profile ensures efficient cleaning under low objects
- Extended deployment range as the result of increased motor performance
- Ergonomic operation due to optimum weight distribution and continuously adjustable shaft
- Reduced maintenance costs due to corrosion-proof materials

1 Highest degree of efficiency with low clearance Monomatic fits into tight spaces – no need to interrupt your work flow. Simple to clean under objects as low as 10 cm, such as radiators, shelving and tables. Avoid difficult manual cleaning and achieve best results in the shortest possible time.



3

2 «Power-Start» and constant turning power for a wide range of uses Washed concrete, industrial flooring, granite? No problem for the Monomatic – it is accustomed to heavy-duty cleaning and cleans effortlessly even on highly irregular floor surfaces, thanks to its high startup speed. The Monomatic runs flawlessly once switched on. Let the Monomatic's turning power inspire you!

3 Optimum weight distribution ensures fatigue-free, ergonomic operation The Monomatic is designed so that the weight is located where it's needed – as low as possible and close to the brush or pad drive disc. The machine is balanced in optimum fashion, ensuring that it operates smoothly and quietly. This makes for easier cleaning and ensures perfect cleaning results.

High quality for regular, heavy-duty cleaning use Corrosion-proof materials ensure prolonged machine life and tried-and-tested Wetrok quality: Swiss made.

Technical data and accessories



Technical data

Wetrok Monomatic	LS	I	DS	HS	US
Item No.	20.050	20.052	20.054	20.056	20.058
Mains connection	230/50 V/Hz	230/50 V/Hz	230/50 V/Hz	230/50 V/Hz	230/50 V/Hz
Brush speed	162 1/min	120 1/min	170/340 1/min	400 1/min	1100 1/min
Power	1200 W	1600 W	1500 W	1500 W	1800 W
Torque	55 Nm	95 Nm	51/28.5 Nm	28.5 Nm	15.5 Nm
Working width	430 mm	430 mm	430 mm	430 mm	500 mm
Weight incl. pad drive disc (PAS)	34 kg	43 kg	35 kg	34 kg	45 kg
Access height (incl. PAS and pad)	100 mm	100 mm	100 mm	100 mm	–
Height above motor (incl. PAS and pad)	350 mm	350 mm	350 mm	350 mm	350 mm
Mains cable length	12.5 m	12.5 m	12.5 m	12.5 m	20.5 m
Transport wheels	Ø 160 mm	Ø 160 mm	Ø 160 mm	Ø 160 mm	Ø 160 mm
Protection rating	I	I	I	I	I
Noise level	57 dB	57 dB	51 dB	58 dB	56 dB

Method

Spray cleaning	•	•	•	(•)	
Polishing			•	•	•
Dry scrubbing	•	•	•	•	
Sanding, wet or dry	•	•			
Wet scrubbing	•	•	•		
Carpet pad method	•	•	(•)		
Wet shampooing	•	•	•		

• recommended (•) possible use

Accessories

Item No. 21.016	Spray unit 2 l	Item No. 21.210	Union polishing brush
Item No. 21.001	Water tank 14 l	Item No. 21.270	Polypropylene scrubbing brush
Item No. 21.025	Suction ring complete HS	Item No. 21.285	Super-nylon scrubbing brush
Item No. 21.030	Suction ring complete US	Item No. 21.295	Scrubbing brush for washed concrete
Item No. 40.312	Suction unit	Item No. 21.300	Tynex scrubbing brush
Item No. 21.022	Apparatus socket for suction unit	Item No. 21.310	Nylon shampooing brush
Item No. 21.112	Pad drive disc LS	Item No. 21.315	Hard nylon shampooing brush
Item No. 21.120	Pad drive disc HS	Item No. 21.350	Sanding disc wood
Item No. 21.126	Pad drive disc HS-PUR	Item No. 22.321	Poly-pad beige (yellow)
Item No. 21.115	Pad drive disc for carpet pad	Item No. 22.322	Poly-pad red
Item No. 24.758	Base plate (5 kg)	Item No. 22.325	Poly pad blue
Item No. 21.160	Additional weight (1.9 kg)	Item No. 22.323	Poly pad green
		Item No. 22.324	Poly pad black
		Item No. 22.334	Poly pad blue ice
		Item No. 52.408	Microsol fibre pad
		Item No. 22.330	Carpet pad
		Item No. 22.401	Sanding sheet (SB) No. 16
		Item No. 22.409	Sanding sheet (SB) No. 40
		Item No. 22.411	Sanding net (SN) No. 60
		Item No. 22.413	Sanding net (SN) No. 80
		Item No. 22.415	Sanding net (SN) No. 100
		Item No. 22.417	Sanding net (SN) No. 150
		Item No. 22.338	Ultraspeed pad yellow
		Item No. 22.339	Ultraspeed pad pink
		Item No. 22.335	Ultraspeed pad blue ice

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten
Tel +41 43 255 51 51, Fax +41 43 255 51 52, www.wetrok.ch

Wetrok Ltd. Unit 4, Easter Court, Europa Boulevard,
Warrington, GB-Cheshire WA5 7ZB
Tel +44 1925 711222, Fax +44 1925 711333, www.wetrok.uk.com

Wetrok GmbH Maybachstrasse 35, D-51381 Leverkusen
Tel +49 2171 398-0, Fax +49 2171 398-100, www.wetrok.de

Wetrok AB Staffans väg 6 B, 3 tr, SE-192 78 Sollentuna
Tel +46 8 444 34 00, Fax +46 8 444 34 01, www.wetrok.se

Wetrok Polska S.A. ul. Łączyny 4 b, PL-02-820 Warszawa
Tel +48 22 331 20 50, Fax +48 22 331 20 60, www.wetrok.pl

