no.82



Carpet (synthetic fibre)

wetrok

cleaning system without treatment end of construction

 date	object
customer	address
representative	room classification

work p	work process: select one work stage from each number										
	cleaning method	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments				
1	brush vacuum cleaning			V S S		Karpawel Monovac / Picojet	for durable flooring only				
1	dry vacuum cleaning			S	Dust roller nozzle Combi-nozzle	Monovac Portavac Twinvac					
1	vacuum sweeping sweeping				Carpet set - Twister	Speedmatic Twister Master Sweep Turbo Sweep	large areas				
2	chewing gum removal	Karpfrost Karpotek	100% 100%			Monovac Portavac Twinvac	repeat until clean				
3	stain removal	See cleaning instructi	on no 85				if needed				
	cleaning without maintenance										
3	carpet pad method	Libero Karpex Retex	20% 3 - 10% 3 - 10%	@	Carpet pad	Monomatic LS SmartSpray 5	for durable flooring only				
1	first protective treatment (with the s		tenance clea	aning)							
4	spraying	Libero	20%			SmartSpray 5	if needed				

^{*} basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

no.82



Carpet (synthetic fibre)

wetrok

maintenance cleaning

object	date	
address	customer	
room classification	representative	

work process: select one work stage from each number

WOIK	process: select one work stage from each	n numbe	II					
	cleaning method	freq uenc	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	brush vacuum cleaning				V S S		Karpawel Monovac / Picojet	for durable flooring only
1	dry vacuum cleaning				S	Dust roller nozzle Combi-nozzle	Monovac Portavac Twinvac	
1	vacuum sweeping sweeping					Carpet set - Twister	Speedmatic Twister Master Sweep Turbo Sweep	large areas
2	chewing gum removal		Karpfrost Karpotek	100% 100%			Monovac Portavac Twinvac	repeat until clean
3	stain removal		Siehe Reinigungs- und	l Pflegeanle	itung l	Nr. 85	 	if needed

^{*} basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

no.82



Carpet (synthetic fibre)

wetrok

i	nterim cleaning				object		date		
					ddress		customer		
				room classifi	cation		representative	,	
work pr	ocess: select one work stage from each	n number							
	cleaning method	freq uenc	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments	
1	brush vacuum cleaning				V S S		Karpawel Monovac / Picojet	for durable flooring only	
1	dry vacuum cleaning				S	Dust roller nozzle Combi-nozzle	Monovac Portavac Twinvac		
1	vacuum sweeping sweeping					Carpet set - Twister	Speedmatic Twister Turbo Sweep Master Sweep	large areas	
2	stain removal		Siehe Reinigungs- ur	nd Pflegeanlei	tung N	Nr. 85	1	if needed	
C	leaning without maintenance								
3	carpet pad method		Karpex Retex Libero	3 - 10% 3 - 10% 20%	Ø	Carpet pad	Monomatic I / LS SmartSpray 5 Monomatic LS	for durable flooring only	
3	wet shampooing		Shampoo	5 - 8%		Shampooing brush Shampooing brush hard	Monomatic I / LS Watertank Karpawel	for durable flooring only	
3	spray extraction, direct method	1 1	V Karpex Retex	3 - 10% 3 - 10%		Hard floor nozzle Spray nozzle for walls	Extravac		
4	brush vacuum cleaning						Karpawel Monovac / Picojet	Always after shampooing, on a dry surface.	
f	irst protective treatment (with	the sa			ning)		<u> </u>		
4	spraying		Libero	20%			SmartSpray 5	if needed	
* b	asic treatment / structure: B: coated / 0	: waxed /	D: oiled / E: sealed / F: untre	eated / G: mainter	nance c	are product / H: Disinfection / P: polis	hing / S: structured / V: heavily	/ soiled	

APA 82 3/5 26.01.2022

basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled important: After shampooing, allow the flooring to dry. Remove dry shampoo residues:brush or dry vacuum.



Carpet (synthetic fibre)



	basic cleaning				objec		date		
					ddress		_ customer		
work	c process: select one work stage from eac	ch numbe	r	room classif	ication	1	representative		
	process. select one work stage from each								
	cleaning method	freq uenc	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments	
1	brush vacuum cleaning	;			V S S		Karpawel Monovac / Picojet	for durable flooring only	
1	dry vacuum cleaning	[]			S	Dust roller nozzle Combi-nozzle	Monovac Portavac Twinvac		
2	chewing gum removal		Karpfrost Karpotek	100%			Monovac Portavac Twinvac	repeat until clean	
3	stain removal		Siehe Reinigungs- ւ	und Pflegeanle	 itung N 	Nr. 85		if needed	
	cleaning without maintenance	е							
4	spray extraction, single step		Karpex Retex Fomstop	3 - 10% 3 - 10% 10 - 20%		Hard floor nozzle Spray nozzle for walls	Extravac SmartSpray 5		
5	wet shampooing and spray extraction		Karpex Retex Fomstop	3 - 10% 3 - 10% 10 - 20%) Shampooing brush) Shampooing brush hard	Monomatic I / LS Watertank Extravac	heavily soiled	
6	spraying	[]	Biosan	3%			SmartSpray 5	if needed, bad smell could be removed with	
	first protective treatment (wit	h the s	_						
6	spraying	 	Libero zzthg	20%			SmartSpray 5	observe drying time	

important: before protective treatment: the floor must be perfectly stripped, thoroughly rinsed and completely dry!

^{*} basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled





Carpet (synthetic fibre)

wetrok

Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.

For security information, see the safety data sheet at www.wetrok.com.

Wear the required personal protective equipment (PPE): e.g. protective gloves, safety goggles, work shoes.

Follow the information and remarks on the label, product data sheet and material safety data sheet.

The product data sheet describes the product and gives information about its application, storage. See www.wetrok.com.

The recommended colours of pad and brushes consist to the actual wWetrok product range.

Follow the special cleaning and care instructions of the floor manufacturer.

The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



Acetate, jute, camel hair, silk and wool, among others, are alkaline sensitive.

Acetate, wool, polyamide, among others, are acid sensitive.

Acetate (acetone) and polyacrylic, among others, are solvent sensitive.

Remove stains as quickly as possible. Fresh stains are easier to remove than old ones.

Before wet cleaning, check whether the underside, the backing material and the base material are insensitive to water.

Take care when wet cleaning raised floors and use very little cleaning solution.

Turn off in-floor heating 24 hours before wet cleaning.



Depending on the manufacturing process and the surface, a distinction is made between loop fabric (Reps, Berber, bouclé), cut pile (velour) and needle felt.

The materials used (pile fabric, base material, backing material) determine the system used to clean textile floor coverings.

Distinguishing feature: fire assay: scrape off and set fire to a little fibrous material: wool smells like burnt hair and synthetic fibres melt.



Vacuum textile floors before each cleaning.

Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.

Test on an inconspicuous spot to find which product is suitable for your requirements.

Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.

Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.

For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, telephone +41 (0)43 255 51 51, info@wetrok.ch, www.wetrok.com.