no.84

Dirt-trapping entrance mat

cleaning system without treatment end of construction

object	date
address	customer
room classification	representative

work process: select one work stage from each number

$\overline{\mathbf{V}}$	cleaning method	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	brush vacuum cleaning			V S S		Karpawel Monovac / Picojet	for durable flooring only
1	dry vacuum cleaning			S	Dust roller nozzle Combi-nozzle	Monovac Portavac Twinvac	
1	vacuum sweeping sweeping				Carpet set - Twister	Speedmatic Twister Master Sweep Turbo Sweep	large areas
2	chewing gum removal	Karpfrost Karpotek	100% 100%				if needed
2	stain removal	See cleaning instruct	ion no 85				if needed
	cleaning without maintenance						
3	carpet pad method	Libero Karpex Retex	20% 3 - 10% 3 - 10%) Carpet pad	Monomatic LS SmartSpray 5	for durable flooring only
	first protective treatment (with the sa)		1	
4	spraying	Libero	20%			SmartSpray 5	if needed

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled



no.84 Dirt-trapping entrance mat



date

customer representative

maintenance cleaning	object	
	address	
	room classification	
work process: select one work stage from each number		

	cleaning method	freq uenc	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	brush vacuum cleaning	,, 			V S S		Karpawel Monovac / Picojet	for durable flooring only
1	dry vacuum cleaning				VS	Dust roller nozzle Combi-nozzle	Monovac Portavac Twinvac	
1	vacuum sweeping sweeping	,, , , , , , ,			V	Carpet set - Twister	Speedmatic Twister Master Sweep Turbo Sweep	large areas
2	chewing gum removal	,, , , , , , , , , ,	Karpfrost Karpotek	100% 100%			Monovac Portavac Twinvac	repeat until clean
3	stain removal	,, , , , , , , , , ,	See cleaning instruction	on no 85				if needed

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

no.84

Dirt-trapping entrance mat

wetrok

interim cleaning

object address _____ room classification

date _____ customer _____ representative _____

date

work process: select one work stage from each number

		freq uenc	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	brush vacuum cleaning	,, , , , , , , , , , , ,			V S S		Karpawel Monovac / Picojet	for durable flooring only
1	dry vacuum cleaning	, 			S	Dust roller nozzle Combi-nozzle	Monovac Portavac Twinvac	
1	vacuum sweeping sweeping	,, , , , , , , , , , , ,				Carpet set - Twister	Speedmatic Twister Turbo Sweep Master Sweep	large areas
2	stain removal	, 	See cleaning instruction	on no 85				if needed
	cleaning without maintenance							
3	carpet pad method	<u> </u>	Retex Karpex Libero	3 - 10% 3 - 10% 20%		Carpet pad	Monomatic LS SmartSpray 5	for durable flooring only
3	spray extraction, direct method	,, , , , , , , , , , , , , , , , , ,	Karpex Retex Fomstop	3 - 10% 3 - 10% 10 - 20%		Hard floor nozzle Spray nozzle for walls	Extravac	
3	wet shampooing	,, , , , , , , , , , , , , , , , , ,	Shampoo	5 - 8%	0) Shampooing brush	Monomatic LS Watertank	for durable flooring only
	cleaning with maintenance							
3	carpet pad method	,, 	Libero Karpex Retex	20% 3 - 10% 3 - 10%	Ø) Carpet pad	Monomatic LS SmartSpray 5	for durable flooring only
3	spray extraction, direct method	, 	Retex Karpex Libero	3 - 10% 3 - 10% 20%		Hard floor nozzle Spray nozzle for walls	Extravac	carpet should be pretreated with Libero.

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled important: After shampooing, allow the flooring to dry. Remove dry shampoo residues:brush or dry vacuum.

no.84

Dirt-trapping entrance mat

wetrok

basic cleaning

object address room classification

customer ______

date

work process: select one work stage from each number

		f						
		freq	recommendations			recommendations	recommendations	
\sim	cleaning method	uenc	* chemical products	dosage	*	pad / brush / mop / cloth	machine / tool	comments
1	brush vacuum cleaning				V S S		Karpawel Monovac / Picojet	for durable flooring only
1	dry vacuum cleaning	,, , , , , , , ,			S	Dust roller nozzle Combi-nozzle	Monovac Portavac Twinvac	
2	chewing gum removal	,, , , , , , ,	Karpfrost Karpotek	100% 100%			Monovac Portavac Twinvac	repeat until clean
3	stain removal	,, , , , , , , , ,	See cleaning instructi	on no 85				if needed
	cleaning without maintenance	Э						
4	spray extraction, single step	·, · · ·	Retex Fomstop	3 - 10% 10 - 20%		Hard floor nozzle Spray nozzle for walls	Extravac SmartSpray 5	for durable flooring only
4	wet shampooing and spray extraction	, 	Karpex Retex Fomstop	3 - 10% 3 - 10% 10 - 20%	00		Monomatic I / LS Watertank Extravac	heavily soiled
5	spraying	,, 	Biosan	3%			SmartSpray 5	if needed, bad smell could be removed with
	first protective treatment (wit	h the <u>s</u> a	me product as in interi	m cleaning)			
5	spraying	, 	Libero	20%			SmartSpray 5	if needed

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

no.84

Dirt-trapping entrance mat



Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.
For security information, see the safety data sheet at www.wetrok.com.
Wear the required personal protective equipment (PPE): e.g. protective gloves, safety goggles, work shoes.
Follow the information and remarks on the label, product data sheet and material safety data sheet.
The product data sheet describes the product and gives information about its application, storage. See www.wetrok.com.
The recommended colours of pad and brushes consist to the actual wWetrok product range.
Follow the special cleaning and care instructions of the floor manufacturer.
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



Textile floor coverings made from natural fibres or blended yarn (natural and synthetic fibres) require very careful cleaning. Minimal use of mechanical devices! Natural fibres such as linen, jute, coconut matting, silk, sisal and wool are mostly insensitive to water. Acetate, jute, camel hair, silk and wool, among others, are alkaline sensitive. Acetate, wool, polyamide, among others, are acid sensitive. Acetate (acetone) and polyacrylic, among others, are solvent sensitive. Acetate (acetone) and polyacrylic, among others, are solvent sensitive. Remove stains as quickly as possible. Fresh stains are easier to remove than old ones. Before wet cleaning, check whether the underside, the backing material and the base material are insensitive to water. Take care when wet cleaning raised floors and use very little cleaning solution. Turn off in-floor heating 24 hours before wet cleaning. Depending on the manufacturing process and the surface, a distinction is made between loop fabric (Reps, Berber, bouclé), cut pile (velour) and needle felt. The materials used (pile fabric, base material, backing material) determine the system used to clean textile floor coverings. Distinguishing feature: fire assay: scrape off and set fire to a little fibrous material: wool smells like burnt hair and synthetic fibres melt.

	Vacuum textile floors before each cleaning.
	Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.
	Test on an inconspicuous spot to find which product is suitable for your requirements.
	Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.
-	Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us. For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, telephone +41 (0)43 255 51 51, info@wetrok.ch, www.wetrok.com.