

General instructions for cleaning and care

no. 60 Sport floor (wood parquet, PU-sealed)
















































cleaning system without treatment
end of construction

object _____
address _____
room classification _____

date _____
customer _____
representative _____

work process: select one work stage from each number

cleaning method	recommendations * chemical products	dosage	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1  dusting damp mopping 			Masslinn 2000 Masslinn S Microsol cloth	Balit with pad sole	
1  dry vacuum cleaning 			V S Dust roller nozzle V Combi-nozzle	Twinvac Monovac Portavac	if needed
cleaning without maintenance care product (if coating follows)					
2  wet mopping single step 	Ecofloor Alcosal Antiwax forte classic	0.5 - 1% 1 - 2% 0.5 - 1%	V S Microbrush-mop Microsmooth-mop Silkysmooth-mop	Wetcar / Drewell Socar / Drewell Wetcar / Drewell	 
2  scrubber drying single step 	Ecofloor Reshine Antiwax forte classic	0.5 - 1% 1 - 2% 0.5 - 1%	V  Pad red  Pad blue  Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	
2   wet scrubbing and wet vacuuming 	Reshine Antiwax forte Antiwax forte classic	1 - 2% 0.5 - 1% 0.5 - 1%	V  Pad red  Pad blue  Microsol fibre pad	Monomatic I / LS Watertank Twinvac / Duovac	heavily soiled   
2   polishing, vacuum polishing 			B  US-Polish pad beige B  HS-Polish pad beige B  HS-Polish pad white	Monomatic US Suction ring Monomatic HS	after polishing 
cleaning with maintenance care (first protective treatment with same product as in maintenance cleaning)					
3  wet mopping single step 	Redur Remop	3 - 4% 2 - 3%	V S Microbrush-mop Microsmooth-mop Silkysmooth-mop	Wetbox system Socar / Drewell Wetcar / Drewell	 
3  scrubber drying single step 	Redur Remop	3 - 4% 2 - 3%	 Pad red  Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	
3  spray cleaning full spray 	Polyspray	100%	 Pad red P  HS-Polish pad beige P  HS-Polish pad white	Monomatic DS Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

General instructions for cleaning and care

no. 60 Sport floor (wood parquet, PU-sealed)































maintenance cleaning

object _____
 address _____
 room classification _____

date _____
 customer _____
 representative _____

work process: select one work stage from each number

↓	cleaning method	freq uenc	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping	<input type="checkbox"/>			Masslinn 2000 Masslinn S Synthetic fur	Balit with pad sole Balit with velcro	
cleaning without maintenance							
2	 wet mopping single step	<input type="checkbox"/>	Ecofloor Reshine	0.5 - 1% 1 - 2%	V S Microbrush-mop Microsmooth-mop Silkysmooth-mop	Wetbox system Wetcar / Drewell Socar / Drewell	 
2	 spray mopping (wet mopping)	<input type="checkbox"/>	Ecofloor Reshine	0.5 - 1% 1 - 2%	V Micro nonwoven-1- Micro woven-1- Silkysmooth-1-	Variwet handle Balit with pad sole Micro velcro sole	 
2	 scrubber drying single step	<input type="checkbox"/>	Ecofloor Reshine Libero	0.5 - 1% 1 - 2% 0.5 - 3%	V  Pad red  Pad blue  Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	
cleaning with maintenance							
2	 wet mopping single step	<input type="checkbox"/>	Redur Remop	1 - 4% 1 - 2%	V S Microbrush-mop Microsmooth-mop Silkysmooth-mop	Wetbox system Socar / Drewell Variwet handle	 
2	 spray mopping (wet mopping)	<input type="checkbox"/>	Redur Remop	1 - 4% 1 - 2%	V Micro nonwoven-1- Micro woven-1- Silkysmooth-1-	Variwet handle Balit with velcro Micro velcro sole	 
2	 scrubber drying single step	<input type="checkbox"/>	Redur Remop	1 - 4% 1 - 2%	V  Pad red  Pad blue  Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	
2	 spray cleaning partial / full spray	<input type="checkbox"/>	Polyspray	100%	P  Pad red  HS-Polish pad beige  Microsol fibre pad	Monomatic DS Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: When spray cleaning, you should change your pad often.

General instructions for cleaning and care

no. 60 Sport floor (wood parquet, PU-sealed)





























interim cleaning

object _____
 address _____
 room classification _____

date _____
 customer _____
 representative _____

work process: select one work stage from each number

cleaning method	recommendations * chemical products	dosage	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1  dusting damp mopping 			* Masslinn 2000 Masslinn S Synthetic fur	Balit with pad sole Balit with velcro	
cleaning without maintenance					
2  wet mopping two-step 			V S Microsmooth-mop Silkysmooth-mop	Socar / Drewell Wetcar / Drewell	 
2  scrubber drying two-step 			V  Pad red  Pad blue  Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	 
2  resin removal 	Reshine Indumat	10% 3 - 5%	 Pad red  Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	scrubber drying two-step   
cleaning with maintenance					
2  spray cleaning full spray 	Polyspray	100%	P  Pad red V  HS-Polish pad beige  Microsol fibre pad	Monomatic DS Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: When spray cleaning, you should change your pad often.
 For initial cleaning after interim cleaning, see "initial cleaning".

General instructions for cleaning and care

no. 60 Sport floor (wood parquet, PU-sealed)

















































basic cleaning

object _____
 address _____
 room classification _____

date _____
 customer _____
 representative _____

work process: select one work stage from each number

↓	cleaning method	freq uenc	recommendations * chemical products	dosage	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping	<input type="checkbox"/>			Masslinn 2000 Masslinn S Synthetic fur	Balit with pad sole Balit with velcro	
2	 chewing gum removal	<input type="checkbox"/>	Karpotek Karpfrost	100% 100%			if needed 
cleaning without maintenance							
3	  wet scrubbing and wet vacuuming	<input type="checkbox"/>	Antiwax forte Antiwax forte classic Relino	30 - 50% 30 - 50% 20 - 50%	 Pad blue  Pad red  Microsol fibre pad	Monomatic I / LS Watertank Twinvac / Duovac	   
3	 scrubber drying two-step	<input type="checkbox"/>	Antiwax forte Antiwax forte classic Relino	30 - 50% 30 - 50% 20 - 50%	 Pad blue  Pad red  Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	large areas    
3	 spray cleaning full spray	<input type="checkbox"/>	Antiwax forte Antiwax forte classic	30 - 50% 30 - 50%	 Pad red  Pad blue  Microsol fibre pad	Monomatic DS Spray unit	
4	  resin removal	<input type="checkbox"/>	V Reshine V Indumat	10% 3 - 5%	 Pad red  Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	scrubber drying two-step   
5	 rinsing	<input type="checkbox"/>	Klares Wasser	100%	 Pad red  Pad blue  Microsol fibre pad	Monomatic I / LS Watertank Twinvac / Duovac	  
5	 rinsing	<input type="checkbox"/>	Klares Wasser	100%	 Pad red  Pad blue  Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	large areas   

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: change pad often.

General instructions for cleaning and care

no. 60 Sport floor (wood parquet, PU-sealed)



Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.
For security information, see the safety data sheet at www.wetrok.com.
Wear the required personal protective equipment (PPE): e.g. protective gloves, safety goggles, work shoes.
Follow the information and remarks on the label, product data sheet and material safety data sheet.
The product data sheet describes the product and gives information about its application, storage. See www.wetrok.com.
The recommended colours of pad and brushes consist to the actual wWetrok product range.
Follow the special cleaning and care instructions of the floor manufacturer.
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



Strong alkalines can destroy or discolour wood coverings. Use a special basic linoleum cleaner!

Sport floors (wood parquet PU-sealed) are sensitive to abrasive pads and brushes.

Water can penetrate into the sport floor covering through the joints.
Permanent exposure to moisture should be avoided with sport floors (wood parquet) coverings. Mop as little as possible and wring out the mop thoroughly.
Allow it to dry completely before applying a protective treatment! Allow longer drying times than for non-porous coverings such as PVC.

Humidity variations cause wood to shrink (dry out) or swell (exposure to moisture) and, possibly, warp (moisture).

Distinguishing feature: appearance of wood, bright sound when tapped.



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.
Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.
Test on an inconspicuous spot to find which product is suitable for your requirements.
Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.
Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.
For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, telephone +41 (0)43 255 51 51, info@wetrok.ch, www.wetrok.com.