# no.8 **PVC (structured profile)**



cleaning system without treatment end of construction

date	object	object
customer	address	address
representative	fication	room classification

work process: select one work stage from each number

	Cleaning method		recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	dry vacuum cleaning	<u> </u>			V S V	Dust roller nozzle Combi-nozzle	<b>Twinvac</b> Monovac Portavac	
1	vacuum sweeping sweeping	,, , , , , , , , ,			VS V		Speedmatic Twister Master Sweep Turbo Sweep	large areas
1	dusting damp mopping	 			S S	Microsol cloth Synthetic fur	Balit with pad sole Balit with velcro	
	cleaning without maintenance	e care	product (if coating follow	vs)				
2	wet mopping single step	,, , , , , , , ,	Ecofloor V Antiwax forte classic V Reshine	<b>0.5 - 1%</b> 0.5 - 1% 1 - 2%	V S	<b>Microbrush-mop</b> Microsmooth-mop Silkysmooth-mop	<b>Wetbox system</b> Socar / Drewell Wetcar / Drewell	
2	scrubber drying single step		Ecofloor V Antiwax forte classic V Reshine	<b>0.5 - 1%</b> 0.5 - 1% 1 - 2%	000	Microsol fibre pad Scrubbing brush Filament Scrubbing brush Supernylon	<b>Duo- / Discomatic</b> Sprinter / Drivematic	
2	wet scrubbing and wet vacuuming	, 	Antiwax forte classic Remat	n.a.			Monomatic LS Watertank Twinvac / Duovac	heavily soiled
	cleaning with maintenance care (first protective treatment with same product as in maintenance cleaning)							
3	wet mopping single step	 	<b>Redur</b> Remop	<b>3 - 4%</b> 2 - 3%	V S	<b>Microbrush-mop</b> Microsmooth-mop Silkysmooth-mop	<b>Wetbox system</b> Socar / Drewell Wetcar / Drewell	
3	scrubber drying single step		<b>Redur</b> Remop	<b>3 - 4%</b> 2 - 3%	000	5	Duo- / Discomatic Sprinter / Drivematic	

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

## no.8 **PVC (structured profile)**



	maintenance cleaning			a	objec ddress		date customer	
work	process: select one work stage fro	m each	number	room classif	icatior	)	representative	
	cleaning method	freq uenc	<ul><li>recommendations</li><li>* chemical products</li></ul>	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	dry vacuum cleaning	,, , , , , , , , , ,			V S V	Dust roller nozzle Combi-nozzle	<b>Monovac</b> Twinvac Portavac	
1	vacuum sweeping sweeping	,, , , , , , , , , ,			V S V		<b>Speedmatic Twister</b> Master Sweep Turbo Sweep	large areas
1	dusting damp mopping	,, , , , , , , , , ,			S S	Microsol cloth Synthetic fur	Balit with pad sole Balit with velcro	
	cleaning without maintenanc	e						
2	wet mopping single step	,           	<b>Ecofloor</b> Reshine Alcosal	<b>0.5 - 1%</b> 1 - 2% 1 - 2%	V S	Microbrush-mop Microsmooth-mop Silkysmooth-mop	Wetbox system Wetcar / Drewell Socar / Drewell	
2	scrubber drying single step	,, , , , , , , , , , , , , , , , , ,	<b>Ecofloor</b> Reshine Libero	<b>0.5 - 1%</b> 1 - 2% 0.5 - 3%	000	) Scrubbing brush soft	Duo- / Discomatic Sprinter / Drivematic	
	cleaning with maintenance				T			-
2	wet mopping single step	,           	<b>Redur</b> Remop	<b>1 - 4%</b> 1 - 2%	V S	Microbrush-mop Microsmooth-mop Silkysmooth-mop	Wetbox system Wetcar / Drewell Socar / Drewell	
2	scrubber drying single step	,       	<b>Redur</b> Remop	<b>1 - 4%</b> 1 - 2%	000	Scrubbing brush soft	Duo- / Discomatic Sprinter / Drivematic	

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

## no.8 **PVC (structured profile)**



	interim cleaning				objec		date		
work	process: select one work stage from	n each	number	ao room classif	ddress icatior		customer representative		
	cleaning method	freq uenc	<ul><li>recommendations</li><li>* chemical products</li></ul>	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments	
1	dry vacuum cleaning				VS V	Dust roller nozzle Combi-nozzle	<b>Monovac</b> Twinvac Portavac		
1	vacuum sweeping sweeping	,, , , , , , , , , , , ,			> >		<b>Speedmatic Twister</b> Master Sweep Turbo Sweep	large areas	
1	dusting damp mopping	,, , , , , , , , , ,			S S	Microsol cloth Synthetic fur	Balit with pad sole Balit with velcro		
	cleaning without maintenance	9							
2	wet mopping two-step	,, , , , , , , , , , , , , , , , , ,	Reshine F Antiwax forte classic G Rewit 2000	<b>2 - 5%</b> 2 - 5% 2 - 5%	V S	Microsmooth-mop Silkysmooth-mop	Socar / Drewell Wetcar / Drewell		
2	scrubber drying two-step	, 	<b>Reshine</b> F Antiwax forte classic G Rewit 2000	<b>2 - 5%</b> 2 - 5% 2 - 5%	0	<ul> <li>Scrubbing brush Filament</li> <li>Scrubbing brush Supernylon</li> <li>Scrubbing brush soft</li> </ul>	Duo- / Discomatic Sprinter / Drivematic	<b>@</b>	i l
2	carpet pad method		<b>Reshine</b> F Antiwax forte classic	<b>2 - 5%</b> 2 - 5%	Ø	<b>Carpet pad</b> Fixomat	Monomatic LS	<b>@</b>	<u>}</u>

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: For initial cleaning after interim cleaning, see "initial cleaning".

## no.8 **PVC (structured profile)**



	basic cleaning			a	objec ddres:		date customer		_
work process: select one work stage from each number				room classif	icatio	n	representative	, ,	
$\overline{1}$	cleaning method	freq uenc	<ul><li>recommendations</li><li>* chemical products</li></ul>	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments	
1	dry vacuum cleaning	,, , , , , , , , , , , , , , , , , ,			V S V	Dust roller nozzle Combi-nozzle	<b>Twinvac</b> Monovac Portavac	if needed	
1	dusting damp mopping	     			S S	Microsol cloth Synthetic fur	Balit with pad sole Balit with velcro		
2	chewing gum removal		Karpfrost Karpotek	<b>100%</b> 100%				if needed	
	cleaning without maintenance	Э							
3	wet scrubbing and wet vacuuming		Speedclean Remat forte G Rewit 2000	<b>50.0%</b> 10 - 20% 10 - 20%		Microsol fibre pad	Monomatic I / LS Watertank Twinvac / Duovac		
3	scrubber drying two-step		Speedclean Remat forte G Rewit 2000	<b>50.0%</b> 10 - 20% 10 - 20%		Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	large areas	
4	rinsing			0 100%			Monomatic I / LS Watertank Twinvac / Duovac		рН 7
4	rinsing			0 100%	000	5	Duo- / Discomatic Sprinter / Drivematic	large areas	рН 7

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: For initial cleaning after basic cleaning, see "initial cleaning".

### no.8 **PVC (structured profile)**



	protective treatment				object ddress		date	
	process: select one work stage fro	m each	number	room classifi	ication		representative	
	cleaning method		<ul><li>recommendations</li><li>* chemical products</li></ul>	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	dry vacuum cleaning				V S V	Dust roller nozzle Combi-nozzle	<b>Twinvac</b> Monovac Portavac	if needed
1	dusting damp mopping	 			S S	Microsol cloth Synthetic fur	Balit with velcro	
	coating							
2	coating	[]	<b>Mepol HM</b> Mepol H Mepol HX	<b>100%</b> 100% 100%	0	Cover for Florfix Florfix-mop Shampooing brush	Florfix Balit with velcro Monomatic LS	1 - 3 thin layers
2	waxing	,, 	Polish	100%	0	Cover for Florfix Florfix-mop Shampooing brush	Florfix Balit with velcro Monomatic LS	1 - 3 thin layers
	buffing wax treatment (only it	nece	ssary)					-
3	dry vacuum cleaning	,, 			V S V	Dust roller nozzle Combi-nozzle	<b>Twinvac</b> Monovac Portavac	if needed
3	dusting damp mopping				S S	Microsol cloth Synthetic fur	Balit with pad sole Balit with velcro	
4	ны роlishing, vacuum				C O	Polishing brush Union	Monomatic HS 0 Suction ring	after polishing

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

#### important: if needed

Do not coat floors with PUR coating provided in the factory !

before protective treatment: the floor must be perfectly stripped, thoroughly rinsed and completely dry!

Process treatement of protection: see descriptione of method.

For initial cleaning with maintenance cleaner after protective treatment, see "initial cleaning".

### no.8 **PVC (structured profile)**



#### Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.
For security information, see the safety data sheet at www.wetrok.com.
Wear the required personal protective equipment (PPE): e.g. protective gloves, safety goggles, work shoes.
Follow the information and remarks on the label, product data sheet and material safety data sheet.
The product data sheet describes the product and gives information about its application, storage. See www.wetrok.com.
The recommended colours of pad and brushes consist to the actual wWetrok product range.
Follow the special cleaning and care instructions of the floor manufacturer.
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



#### Do not coat structured floor coverings.

PVC floor coverings are sensitive to certain solvents such as ketone, ester and chlorinated hydrocarbon.
PVC floor coverings are sensitive to cigarette burns, glowing cigarettes and deposit marks.
PVC floor coverings are very resistant to strong alkalines and acids.
Fat-soluble colorants such as shoe polish or asphalt can penetrate into PVC floor coverings: diffusion.

PVC is a synthetic covering made from polyvinylchloride (PVC), softeners, fillers and colour pigments.
Homogeneous PVC floor coverings consist of one or more layers with the same composition.
Heterogeneous PVC floor coverings consist of several layers with the same basic materials but with a different composition.

Distinguishing feature: fire assay with a glowing hot needle in an inconspicuous place: the needle penetrates, acrid smell, crater cannot be removed with fingers.



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.

Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.

Test on an inconspicuous spot to find which product is suitable for your requirements.

Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.

Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us. For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, telephone +41 (0)43 255 51 51, info@wetrok.ch, www.wetrok.com.