

General instructions for cleaning and care

no.7  PVC (smooth)
















cleaning system with treatment
end of construction

object _____
address _____
room classification _____

date _____
customer _____
representative _____

work process: select one work stage from each number

cleaning method	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1  dusting damp mopping <input type="checkbox"/>			Masslinn S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	
1  dry vacuum cleaning <input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Twinvac Monovac Portavac	if needed
cleaning without maintenance care product (if coating follows)					
2  wet mopping single step <input type="checkbox"/>	Ecofloor V Antiwax forte classic V Reshine	0.5 - 1% 0.5 - 1% 1 - 2%	Microbrush-mop Microsmooth-mop V S Silkysmooth-mop	Wetbox system Socar / Drewell Wetcar / Drewell	
2  scrubber drying single step <input type="checkbox"/>	Ecofloor V Antiwax forte classic V Reshine	0.5 - 1% 0.5 - 1% 1 - 2%	● Pad red V ● Pad blue F ● Melamine pad	Duo- / Discomatic Sprinter / Drivematic	
2  wet scrubbing and wet vacuuming <input type="checkbox"/>	Antiwax forte classic Remat	0.5 - 1% n.a.	V ● Pad blue V ● Pad green	Monomatic LS Watertank Twinvac / Duovac	heavily soiled  
cleaning with maintenance care (first protective treatment with same product as in maintenance cleaning)					
3  wet mopping single step <input type="checkbox"/>	Redur Remop	3 - 4% 2 - 3%	Microbrush-mop Microsmooth-mop V S Silkysmooth-mop	Wetbox system Socar / Drewell Wetcar / Drewell	
3  scrubber drying single step <input type="checkbox"/>	Redur Remop	3 - 4% 2 - 3%	● Pad red	Duo- / Discomatic Sprinter / Drivematic	
3  spray cleaning full spray <input type="checkbox"/>	Polyspray Elfspray	100% 100%	● Pad red P ● HS-Polish pad beige P ○ HS-Polish pad white	Monomatic DS Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important:

General instructions for cleaning and care

no.7  PVC (smooth)



maintenance cleaning

object _____

date _____

















address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

↓	cleaning method	freq uenc	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting  damp mopping	<input type="checkbox"/>			Masslinn S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	Vacuum dry if necessary.
cleaning without maintenance							
2	 wet mopping single step	<input type="checkbox"/>	Ecofloor Reshine Alcosal	0.5 - 1% 1 - 2% 1 - 2%	V S Microbrush-mop Microsmooth-mop Silkysmooth-mop	Wetbox system Wetcar / Drewell Socar / Drewell	
2	 spray mopping (wet mopping)	<input type="checkbox"/>	Ecofloor Reshine Alcosal	0.5 - 1% 1 - 2% 1 - 2%	V Micro nonwoven-1- Micro woven-1- Silkysmooth-1-	Variwet handle Balit with velcro Micro velcro sole	
2	 scrubber drying single step	<input type="checkbox"/>	Ecofloor Reshine Libero	0.5 - 1% 1 - 2% 0.5 - 3%	● Pad red F ● Melamine pad	Duo- / Discomatic Sprinter / Drivematic	
2	 HS polishing, vacuum polishing	<input type="checkbox"/>			B ● HS-Polish pad beige B ○ HS-Polish pad white B ● Microsol fibre pad	Monomatic HS Suction ring	0 after polishing 
cleaning with maintenance							
2	 wet mopping single step	<input type="checkbox"/>	Redur Remop	1 - 4% 1 - 2%	V S Microbrush-mop Microsmooth-mop Silkysmooth-mop	Wetbox system Wetcar / Drewell Socar / Drewell	
2	 spray mopping (wet mopping)	<input type="checkbox"/>	Redur Remop	1 - 4% 1 - 2%	V Micro nonwoven-1- Micro woven-1- Silkysmooth-1-	Variwet handle Balit with velcro Micro velcro sole	
2	 scrubber drying single step	<input type="checkbox"/>	Redur Remop	1 - 4% 1 - 2%	● Pad red	Duo- / Discomatic Sprinter / Drivematic	
2	 spray cleaning partial / full spray	<input type="checkbox"/>	Polyspray Elfspray	100% 100%	● Pad red P ● HS-Polish pad beige P ○ HS-Polish pad white	Monomatic DS Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

General instructions for cleaning and care

no.7  **PVC (smooth)**



interim cleaning

object _____

date _____















address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

↓	cleaning method	freq uenc	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping	<input type="checkbox"/>			Masslinn S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Monovac Twinvac Portavac	if needed
cleaning without maintenance							
2	 wet mopping two-step	<input type="checkbox"/>	Reshine F Antiwax forte classic G Rewit 2000	2 - 5% 2 - 5% 2 - 5%	V S Microsmooth-mop Silkysmooth-mop	Wetcar / Drewell Socar / Drewell	 
2	 scrubber drying two-step	<input type="checkbox"/>	Reshine F Antiwax forte classic G Rewit 2000	2 - 5% 2 - 5% 2 - 5%	● Pad red V ● Pad blue F ● Melamine pad	Duo- / Discomatic Sprinter / Drivematic	 
2	 HS polishing, vacuum polishing	<input type="checkbox"/>			B ● HS-Polish pad beige B ○ HS-Polish pad white	Monomatic HS Suction ring Monoma	after polishing 
cleaning with maintenance							
2	 spray cleaning full spray	<input type="checkbox"/>	Polyspray Elfspray	100% 100%	● Pad red P ● HS-Polish pad beige P ○ HS-Polish pad white	Monomatic DS Spray unit	after polishing 
2	 US spray cleaning full spray	<input type="checkbox"/>	B US Restorer	100%	B ● US-Polish pad beige	Monomatic US Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: For initial cleaning after interim cleaning, see "initial cleaning".

General instructions for cleaning and care

no.7  PVC (smooth)



basic cleaning

object _____

date _____






















address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

↓	cleaning method	freq uenc	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping	<input type="checkbox"/>			Masslinn S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Twinvac Monovac Portavac	if needed
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100% 100%			if needed 
cleaning without maintenance							
3	 wet scrubbing and wet vacuuming	<input type="checkbox"/>	B Speedclean B Remat forte V Antiwax forte classic	30 - 50% 10 - 20% 30 - 50%	● Pad green V ● Pad black	Monomatic I / LS Watertank Twinvac / Duovac	  
3	 scrubber drying two-step	<input type="checkbox"/>	B Speedclean B Remat forte V Antiwax forte classic	50% 10 - 20% 30 - 50%	● Pad green V ● Pad black	Duo- / Discomatic Sprinter / Drivematic	large areas   
3	 spray cleaning full spray	<input type="checkbox"/>	B Antiwax forte classic	30 - 50%	C ● Pad green	Monomatic I / LS Spray unit	
4	 rinsing	<input type="checkbox"/>		0 100%	● Pad green ● Microsol fibre pad	Monomatic I / LS Watertank Twinvac / Duovac	after spray cleaning not necessary.  
4	 rinsing	<input type="checkbox"/>		0 100%	● Pad green ● Microsol fibre pad	Duo- / Discomatic Sprinter / Drivematic	after spray cleaning not necessary   

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: For initial cleaning after basic cleaning, see "initial cleaning".

General instructions for cleaning and care

no.7  PVC (smooth)



protective treatment

object _____

date _____








address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

cleaning method	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1  dusting  damp mopping 			Masslinn 2000 S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	
coating					
2  coating 	Mepol HM Mepol H Mepol HX	100% 100% 100%	Cover for Florfix Florfix-mop	Florfix Balit with velcro	1 - 3 thin layers  

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: if needed

Do not coat floors with PUR coating provided in the factory !

before protective treatment: the floor must be perfectly stripped, thoroughly rinsed and completely dry!

Process treatment of protection: see description of method.

For initial cleaning with maintenance cleaner after protective treatment, see "initial cleaning".

General instructions for cleaning and care

no.7 PVC (smooth)



Information about the flooring




Wetrok AG cannot accept any liability for damages due to improper use.
For security information, see the safety data sheet at www.wetrok.com.
Wear the required personal protective equipment (PPE): e.g. protective gloves, safety goggles, work shoes.
Follow the information and remarks on the label, product data sheet and material safety data sheet.
The product data sheet describes the product and gives information about its application, storage. See www.wetrok.com.
The recommended colours of pad and brushes consist to the actual wWetrok product range.
Follow the special cleaning and care instructions of the floor manufacturer.
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



PVC floor coverings are sensitive to certain solvents such as ketone, ester and chlorinated hydrocarbon.

PVC floor coverings are sensitive to cigarette burns, glowing cigarettes and deposit marks.
PVC floor coverings are very resistant to strong alkalines and acids.
Fat-soluble colorants such as shoe polish or asphalt can penetrate into PVC floor coverings: diffusion.



PVC is a synthetic covering made from polyvinylchloride (PVC), softeners, fillers and colour pigments.
Homogeneous PVC floor coverings consist of one or more layers with the same composition.
Polyurethane surfaces are insensitive to cigarette burns, glowing cigarettes and deposit marks.

Distinguishing feature: fire assay with a glowing hot needle in an inconspicuous place: the needle penetrates, acrid smell, crater cannot be removed with fingers.



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.
Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.
Test on an inconspicuous spot to find which product is suitable for your requirements.
Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.
Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.
For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, telephone +41 (0)43 255 51 51, info@wetrok.ch, www.wetrok.com.