

# General instructions for cleaning and care

## no.6 PU rubber-granulate surfacing system
















cleaning system with treatment  
end of construction

object \_\_\_\_\_  
address \_\_\_\_\_  
room classification \_\_\_\_\_

date \_\_\_\_\_  
customer \_\_\_\_\_  
representative \_\_\_\_\_

work process: select one work stage from each number

| cleaning method   | * recommendations chemical products                     | dosage                                | * recommendations pad / brush / mop / cloth                            | recommendations machine / tool                                     | comments   |
|---|---|---------------------------------------|--|--|--|
| 1  dusting<br>damp mopping <input type="checkbox"/>            |   |                                       | <b>Masslinn</b><br>S Microsol cloth<br>S Synthetic fur                 | <b>Balit with pad sole</b><br>Balit with velcro                    |  |
| 1  dry vacuum<br>cleaning <input type="checkbox"/>             |   |                                       | V S <b>Dust roller nozzle</b><br>V Combi-nozzle                        | <b>Twinvac</b><br>Monovac<br>Portovac                              |  |
| <b>cleaning without maintenance care product (if coating follows)</b>   |   |                                       |  |  |  |
| 2  wet mopping<br>single step <input type="checkbox"/>         | <b>Ecofloor</b><br>V Reshine<br>V Antiwax forte classic | <b>0.5 - 1%</b><br>1 - 2%<br>0.5 - 1% | <b>Microbrush-mop</b><br>Microsmooth-mop<br>V S Silkysmooth-mop        | <b>Wetbox system</b><br>Socar / Drewell<br>Wetcar / Drewell        |   |
| 2  scrubber drying<br>single step <input type="checkbox"/>     | <b>Ecofloor</b><br>V Antiwax forte classic<br>V Reshine | <b>0.5 - 1%</b><br>0.5 - 1%<br>1 - 2% | ● <b>Pad red</b><br>V ● <b>Pad blue</b>                                | <b>Duo- / Discomatic</b><br>Sprinter / Drivematic                  |  |
| 2  wet scrubbing and<br>wet vacuuming <input type="checkbox"/> | <b>Antiwax forte classic</b><br>Remat                   | <b>0.5 - 1%</b><br>n.a.               | ● <b>Pad red</b><br>● <b>Pad blue</b>                                  | <b>Monomatic LS</b><br><b>Watertank</b><br><b>Twinvac / Duovac</b> | heavily soiled   |
| <b>cleaning with maintenance care (first protective treatment with same product as in maintenance cleaning)</b>                                 |   |                                       |  |  |  |
| 3  wet mopping<br>single step <input type="checkbox"/>       | <b>Redur</b><br>Remop                                   | <b>3 - 4%</b><br>2 - 3%               | <b>Microbrush-mop</b><br>Microsmooth-mop<br>V S Silkysmooth-mop        | <b>Wetbox system</b><br>Socar / Drewell<br>Wetcar / Drewell        |   |
| 3  scrubber drying<br>single step <input type="checkbox"/>   | <b>Redur</b><br>Remop                                   | <b>3 - 4%</b><br>2 - 3%               | ● <b>Pad red</b>   | <b>Duo- / Discomatic</b><br>Sprinter / Drivematic                  |  |
| 3  spray cleaning<br>full spray <input type="checkbox"/>     | <b>Polyspray</b><br>Elfspray                            | <b>100%</b><br>100%                   | ● <b>Pad red</b><br>P ● HS-Polish pad beige<br>P ○ HS-Polish pad white | <b>Monomatic DS</b><br><b>Spray unit</b>                           | after polishing   |

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

**important:** Do not coat floors with PUR coating provided in the factory !

# General instructions for cleaning and care

## no.6 PU rubber-granulate surfacing system



### maintenance cleaning

object \_\_\_\_\_

date \_\_\_\_\_


























address \_\_\_\_\_

customer \_\_\_\_\_

work process: select one work stage from each number

room classification \_\_\_\_\_

representative \_\_\_\_\_

| ↓                                   | cleaning method   | freq uenc   | recommendations * chemical products   | dosage                                | * recommendations pad / brush / mop / cloth                                      | recommendations machine / tool  | comments  |
|-------------------------------------|---|---|---------------------------------------|---------------------------------------|--|---|---|
| 1                                   |  dusting<br> damp mopping |    |                                       |                                       | <b>Masslinn</b><br>S Microsol cloth<br>S Synthetic fur                           | <b>Balit with pad sole</b><br>Balit with velcro                               | Vacuum dry if necessary.  |
| <b>cleaning without maintenance</b> |   |   |                                       |                                       |  |   |   |
| 2                                   |  wet mopping<br>single step  |    | <b>Ecofloor</b><br>Reshine<br>Alcosal | <b>0.5 - 1%</b><br>1 - 2%<br>1 - 2%   | <b>Microbrush-mop</b><br>Microsmooth-mop<br>V S Silkysmooth-mop                  | <b>Wetbox system</b><br>Wetcar / Drewell<br>Socar / Drewell                   |                    |
| 2                                   |  spray mopping<br>(wet mopping)  |    | <b>Ecofloor</b><br>Reshine<br>Alcosal | <b>0.5 - 1%</b><br>1 - 2%<br>1 - 2%   | <b>Micro nonwoven-1-</b><br>V Micro woven-1-<br>Silkysmooth-1-                   | <b>Variwet handle</b><br><b>Balit with velcro</b><br><b>Micro velcro sole</b> |                    |
| 2                                   |  scrubber drying<br>single step  |    | <b>Ecofloor</b><br>Reshine<br>Libero  | <b>0.5 - 1%</b><br>1 - 2%<br>0.5 - 3% | <b>Pad red</b><br>● Melamine pad   | <b>Duo- / Discomatic</b><br>Sprinter / Drivematic                             |   |
| 2                                   |  <b>HS</b> polishing, vacuum<br>polishing  |    |                                       |                                       | B ● <b>HS-Polish pad beige</b><br>B ○ <b>HS-Polish pad white</b>                 | <b>Monomatic HS</b><br><b>Suction ring</b>                                    | 0 after polishing  |
| <b>cleaning with maintenance</b>    |   |   |                                       |                                       |  |   |   |
| 2                                   |  wet mopping<br>single step   |   | <b>Redur</b><br>Remop                 | <b>1 - 4%</b><br>1 - 2%               | <b>Microbrush-mop</b><br>V S Microsmooth-mop<br>Silkysmooth-mop                  | <b>Wetbox system</b><br>Wetcar / Drewell<br>Socar / Drewell                   |                   |
| 2                                   |  spray mopping<br>(wet mopping)  |  | <b>Redur</b><br>Remop                 | <b>1 - 4%</b><br>1 - 2%               | <b>Micro nonwoven-1-</b><br>V Micro woven-1-<br>Silkysmooth-1-                   | <b>Variwet handle</b><br><b>Balit with velcro</b><br><b>Micro velcro sole</b> |                  |
| 2                                   |  scrubber drying<br>single step  |  | <b>Redur</b><br>Remop                 | <b>1 - 4%</b><br>1 - 2%               | <b>Pad red</b><br>●  | <b>Duo- / Discomatic</b><br>Sprinter / Drivematic                             |   |
| 2                                   |  spray cleaning<br>partial / full spray  |  | <b>Polyspray</b><br>Elfspray          | <b>100%</b><br>100%                   | <b>Pad red</b><br>● <b>HS-Polish pad beige</b><br>P ○ <b>HS-Polish pad white</b> | <b>Monomatic DS</b><br><b>Spray unit</b>                                      | after polishing  |

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

### important:

# General instructions for cleaning and care

## no.6 PU rubber-granulate surfacing system



### interim cleaning

object \_\_\_\_\_

date \_\_\_\_\_




















address \_\_\_\_\_

customer \_\_\_\_\_

work process: select one work stage from each number

room classification \_\_\_\_\_

representative \_\_\_\_\_

| ↓                                   | cleaning method  | freq uenc                | recommendations * chemical products                       | dosage                            | recommendations * pad / brush / mop / cloth   | recommendations machine / tool                    | comments  |
|-------------------------------------|--|--------------------------|---|-----------------------------------|---|---|---|
| 1                                   |  dusting<br>damp mopping                  | <input type="checkbox"/> |   |                                   | <b>Masslinn</b><br>S Microsol cloth<br>S Synthetic fur  | <b>Balit with pad sole</b><br>Balit with velcro   |   |
| 1                                   |  dry vacuum<br>cleaning                   | <input type="checkbox"/> |   |                                   | V S <b>Dust roller nozzle</b><br>V Combi-nozzle   | <b>Monovac</b><br>Twinvac<br>Portavac             |   |
| <b>cleaning without maintenance</b> |  |                          |   |                                   |   |   |   |
| 2                                   |  wet mopping<br>two-step                  | <input type="checkbox"/> | <b>Reshine</b><br>F Antiwax forte classic<br>G Rewit 2000 | <b>2 - 5%</b><br>2 - 5%<br>2 - 5% | V S <b>Microsmooth-mop</b><br>Silkysmooth-mop   | <b>Socar / Drewell</b><br>Wetcar / Drewell        |   |
| 2                                   |  scrubber drying<br>two-step              | <input type="checkbox"/> | <b>Reshine</b><br>F Antiwax forte classic<br>G Rewit 2000 | <b>2 - 5%</b><br>2 - 5%<br>2 - 5% | V  <b>Pad red</b><br> <b>Pad blue</b>   | <b>Duo- / Discomatic</b><br>Sprinter / Drivematic |   |
| 2                                   |  <b>HS</b> polishing, vacuum<br>polishing | <input type="checkbox"/> |   |                                   | B  <b>HS-Polish pad beige</b><br>B  <b>HS-Polish pad white</b>  | <b>Monomatic HS</b><br><b>Suction ring</b>        | 0 after polishing    |
| <b>cleaning with maintenance</b>    |  |                          |   |                                   |   |   |   |
| 2                                   |  spray cleaning<br>full spray            | <input type="checkbox"/> | <b>Polyspray</b><br>Elfspray                              | <b>100%</b><br>100%               |  <b>Pad red</b><br>P  <b>HS-Polish pad beige</b><br>P  <b>HS-Polish pad white</b> | <b>Monomatic DS</b><br><b>Spray unit</b>          | after polishing   |

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

**important:** For initial cleaning after interim cleaning, see "initial cleaning".

# General instructions for cleaning and care

## no.6 PU rubber-granulate surfacing system



### basic cleaning

object \_\_\_\_\_

date \_\_\_\_\_































address \_\_\_\_\_

customer \_\_\_\_\_

work process: select one work stage from each number

room classification \_\_\_\_\_

representative \_\_\_\_\_

| cleaning method   | freq uenc                | recommendations * chemical products        | dosage                    | recommendations * pad / brush / mop / cloth   | recommendations machine / tool   | comments  |
|---|--------------------------|--|---------------------------|---|--|---|
| 1  dusting damp mopping            | <input type="checkbox"/> |  |                           | S <b>Masslinn</b><br>S Microsol cloth<br>S Synthetic fur  | <b>Balit with pad sole</b><br>Balit with velcro                        |   |
| 1  dry vacuum cleaning             | <input type="checkbox"/> |  |                           | V S <b>Dust roller nozzle</b><br>V Combi-nozzle   | <b>Twinvac</b><br>Monovac<br>Portovac                                  | if needed   |
| 2  chewing gum removal             | <input type="checkbox"/> | <b>Karpfrost</b><br>Karpotek               | <b>100.0%</b><br>100.0%   | S<br>S  |  | if needed    |
| <b>cleaning without maintenance</b>   |                          |  |                           |   |  |   |
| 3  wet scrubbing and wet vacuuming | <input type="checkbox"/> | G <b>Antiwax forte classic</b><br>B Relino | <b>2 - 5%</b><br>20 - 50% | G  <b>Pad blue</b><br>B  Pad green          | <b>Monomatic I / LS</b><br><b>Watertank</b><br><b>Twinvac / Duovac</b> |      |
| 3  scrubber drying two-step        | <input type="checkbox"/> | G <b>Antiwax forte classic</b><br>B Relino | <b>2 - 5%</b><br>20 - 50% | G  <b>Pad blue</b><br>B  Pad green          | <b>Duo- / Discomatic</b><br>Sprinter / Drivematic                      | large areas                                  |
| 3  spray cleaning full spray      | <input type="checkbox"/> | B <b>Antiwax forte classic</b>             | <b>30 - 50%</b>           | B  <b>Pad green</b>  | <b>Monomatic I / LS</b><br><b>Spray unit</b>                           |   |
| 4  rinsing                       | <input type="checkbox"/> |  | <b>0 100%</b>             |  <b>Pad blue</b><br> Microsol fibre pad | <b>Monomatic I / LS</b><br><b>Watertank</b><br><b>Twinvac / Duovac</b> | after spray cleaning not necessary.     |
| 4  rinsing                       | <input type="checkbox"/> |  | <b>0 100%</b>             |  <b>Pad blue</b><br> Microsol fibre pad | <b>Duo- / Discomatic</b><br>Sprinter / Drivematic                      | after spray cleaning not necessary.    |

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

**important: Do not coat floors with PUR coating provided in the factory !**  
For initial cleaning after basic cleaning, see "initial cleaning".

# General instructions for cleaning and care

## no.6 PU rubber-granulate surfacing system



### protective treatment

object \_\_\_\_\_

date \_\_\_\_\_















address \_\_\_\_\_

customer \_\_\_\_\_

work process: select one work stage from each number

room classification \_\_\_\_\_

representative \_\_\_\_\_

| cleaning method   | recommendations<br>* chemical products | dosage              | recommendations<br>pad / brush / mop / cloth   | recommendations<br>machine / tool               | comments   |
|---|--|---------------------|--|---|--|
| <b>1</b><br> dusting<br> damp mopping<br><input type="checkbox"/> |  |                     | <b>Masslinn 2000</b><br>S Microsol cloth<br>S Synthetic fur  | <b>Balit with pad sole</b><br>Balit with velcro |  |
| <b>coating</b>  |  |                     |  |   |  |
| <b>2</b><br> coating<br><input type="checkbox"/>   | <b>Mepol HM</b><br>Mepol H             | <b>100%</b><br>100% | <b>Cover for Florfix</b><br>Florfix-mop  | <b>Florfix</b><br>Balit with velcro             | 1 - 3 thin layers<br>  |
| <b>2</b><br> waxing<br><input type="checkbox"/>  | <b>Polish</b>                          | <b>100%</b>         | <b>Cover for Florfix</b><br>Florfix-mop  | <b>Florfix</b><br>Balit with velcro             | 1 - 3 thin layers<br>  |
| <b>buffing wax treatment (only if necessary)</b>  |  |                     |  |   |  |
| <b>3</b><br> dusting<br> damp mopping<br><input type="checkbox"/> |  |                     | <b>Masslinn 2000</b><br>Synthetic fur  | <b>Balit with pad sole</b><br>Balit with velcro |  |
| <b>4</b><br> HS polishing, vacuum<br>polishing<br><input type="checkbox"/>   |  |                     | C  <b>HS-Polish pad beige</b><br>C  <b>HS-Polish pad white</b> | <b>Monomatic HS</b><br><b>Suction ring</b>      | 0<br>after polishing    |

\* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

### important: if needed

**Do not coat floors with PUR coating provided in the factory !**

before protective treatment: the floor must be perfectly stripped, thoroughly rinsed and completely dry!

Process treatment of protection: see description of method.

For initial cleaning with maintenance cleaner after protective treatment, see "initial cleaning".

## General instructions for cleaning and care


### no.6 PU rubber-granulate surfacing system



#### Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.  
For security information, see the safety data sheet at [www.wetrok.com](http://www.wetrok.com).  
Wear the required personal protective equipment (PPE): e.g. protective gloves, safety goggles, work shoes.  
Follow the information and remarks on the label, product data sheet and material safety data sheet.  
The product data sheet describes the product and gives information about its application, storage. See [www.wetrok.com](http://www.wetrok.com).  
The recommended colours of pad and brushes consist to the actual wWetrok product range.  
Follow the special cleaning and care instructions of the floor manufacturer.  
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



**Rubber granulate floor coverings are sensitive to strong alkalines such as soft soap and basic cleaners. Colour change: material damage!**  
**Rubber granulate floor coverings are sensitive to certain solvents such as ketone and ester.**

Fat-soluble colorants such as shoe polish or asphalt can penetrate into rubber granulate floor coverings: diffusion.  
Polyurethane surfaces are relatively insensitive to abrasive pads and brushes.  
Polyurethane surfaces are insensitive to cigarette burns, glowing cigarettes and deposit marks.



A polyurethane rubber granulate system is a synthetic elastic covering made from rubber granulates and a binder, compacted and smoothed, with a polyurethane use-surface.  
Polyurethane rubber granulate systems are applied in a seamless manner.

Distinguishing feature: fire assay with a glowing hot needle in an inconspicuous place: needle does not penetrate, no acrid smell, no crater formation.



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.  
Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.  
Test on an inconspicuous spot to find which product is suitable for your requirements.  
Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.  
Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.  
For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or [academy@wetrok.ch](mailto:academy@wetrok.ch).

**Wetrok AG** Steinackerstrasse 62, CH-8302 Kloten, telephone +41 (0)43 255 51 51, [info@wetrok.ch](mailto:info@wetrok.ch), [www.wetrok.com](http://www.wetrok.com).