

Discomatic Mambo

The best just got better



Discomatic Mambo Made in Switzerland

The Discomatic Mambo from Wetrok combines concentrated cleaning power and amazing endurance with almost limitless agility and effortless operation. The use of high-quality components and carefully designed details help to reduce operating costs and increase efficiency. In addition, they enable environmentally friendly cleaning with outstanding results - ideal for greater cost-effectiveness per m² on small and medium-sized areas.



cleaning quality

High-performance



Manoeuvrable and compact for every cleaning job



Durable thanks to robust construction and reliable technology

()



€ →

handling



High cleaning performance thanks to double discs / brushes system

Two efficient discs / brushes guarantee brilliant cleaning results and particularly high brush pressure. Combined with our powerful lithium iron phosphate battery, a long service life is ensured.



Effortless guidance with Self-Drive

Supported by the double drive system, the powerful Self-Drive effect delivers ergonomic and comfortable propulsion. This makes guiding the machine precise and easy.



Intuitive operation From activating the brushes and suction to adjusting the amount of water - with just four control buttons, using the machine is extremely easy and eliminates lengthy training with staff.



Ergonomic and manoeuvrable

The height-adjustable handle can be adapted to body size and different situations even when the machine is running. Turning at tight angles and corners are no problem, plus it takes up surprisingly little space when transporting or storing.



Easy transport thanks to support wheel

Once the cleaning job is complete, a support wheel is automatically lowered to lift the machine. This makes it very easy to transport the machine from one location to another.



Whisper-quiet cleaning Noise reduction to 60db(A) thanks to the sound-insulated suction motors enables economical cleaning of highly frequented and noise-sensitive areas without any loss of performance.



Theoretical area performance

43 cm 361 3.6h

1720 m²

Working width

Fresh / waste water tank

Battery life



Power Whirl Patented and innovative for maximum suction efficiency

Lithium iron phosphate battery for consistently high performance

Automatic dosing system for precise and demanddependent use of chemicals

Quick Refill Time-saving water filling with overflow protection



HEPA filter for the highest standard of hygiene


The easily replaceable HEPA filter cleans the outgoing exhaust air and significantly reduces the spread of germs. This ensures increased hygiene and safety, especially in sensitive areas.



Simplified handling

The patented magnetic suction lips can be replaced without tools. Water can be refilled automatically and quickly with Quick Refill. The well designed tank guarantees quick and easy cleaning.

Discomatic Mambo: for efficient and thorough cleaning of small to medium-sized areas in care facilities, industrial buildings, airports, schools, restaurants, stores, office buildings, etc.





Technical specifications	Standard	Standard		Pro	
Modell	Mambo	Mambo Dosing	Mambo	Mambo Dosing	
Model No.	50430	50431	50440	50441	
Basic equipment					
Lithium iron phosphate battery	25.6V/34.2 Ah		25.6V/49.4 Ah		
On-board charger	•	•	•	•	
Suction nozzle complete	•	•	•	•	
Front sealing lip NR	•	•	•	•	
Rear working lip NR	•	•	•	•	
Special equipment					
Hepa Filter system	•	•	•	•	
Quick-Refill system	-	•	•	•	
Dosage system	-	•	-	•	
Technical data					
Theoretical area performance	1720 m²/h		1720 m²/h		
Total height	113 cm		113 cm		
Total length	102 cm		102 cm		
Total width	60.5 cm		60.5 cm		
Vacuum	90 mbar		90 mbar		
Airflow rate	15 l/s		15 l/s		
Suction turbine power	300 W		300 W		
Working width brushing	43 cm		43 cm		
Brush speed	200 /min		200 /min		
Brush motor power	2 × 100 W		2 × 100 W		
Working width vacuuming	56 cm		56 cm		
Underride height	73 cm		73 cm		
Fresh water tank	36		36 I		
Waste water tank	36		36		
Drive type	Self-Drive		Self-Drive		
Working sound level	60 / 59 dB(A) (Eco)		60 / 59 dB(A) (Eco)		
Brush quantity	2 pcs.		2 pcs.		
Brush contact pressure	31.5 kg (0.62 N/cm ²)		31.5 kg (0.62 N/cm ²)		
Gross weight (incl. batteries)	60.5 kg		63.1 kg		
Net weight (without batteries)	52.8 kg		52.8 kg		
Detergent dosage	0.5 – 4.5 %		0.5 – 4.5 %		
Battery life in Eco-mode	U	up to 2.5 h		up to 3.6 h	



www.wetrok.com

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, info@wetrok.ch, Tel. +41 43 255 51 51
Wetrok Austria GmbH Deutschstrasse 19, A-1230 Wien, info@wetrok.at, Tel. 0800 20 48 68
Wetrok GmbH Maybachstrasse 35, D-51381 Leverkusen, info@wetrok.de, Tel. +49 2171 398-0
Wetrok Polska S.A. ul. Ła,czyny 4, PL-02-820 Warszawa, warszawa@wetrok.pl, Tel. +48 22 331 20 50
Wetrok AB Kyrkvägen 1 G, SE-192 72 Sollentuna, info@wetrok.se, Tel. +46 8 444 34 00

