

General instructions for cleaning and care

no.35 Synthetic resin treated industrial flooring (structured profile)
























cleaning system without treatment
end of construction

object _____
address _____
room classification _____

date _____
customer _____
representative _____

work process: select one work stage from each number

cleaning method	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1  dry vacuum cleaning <input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Twinvac Monovac Portavac	
1  vacuum sweeping <input type="checkbox"/>			V Carpet set - Twister	Speedmatic Twister Master Sweep Turbo Sweep	large areas
1  dusting damp mopping <input type="checkbox"/>			S Microsol cloth S Synthetic fur	Balit with pad sole Balit with velcro	
cleaning without maintenance					
2  wet mopping single step <input type="checkbox"/>	Ecofloor V Reshine V Antiwax forte classic	0.5 - 1% 1 - 2% 0.5 - 1%	Silkysmooth-mop Microsmooth-mop Microbrush-mop	Wetbox system Socar / Drewell Wetcar / Drewell	
2  scrubber drying single step <input type="checkbox"/>	Ecofloor V Reshine V Antiwax forte classic	0.5 - 1% 1 - 2% 0.5 - 1%	 Microsol fibre pad  Scrubbing brush Filament  Scrubbing brush Supernylon	Duo- / Discomatic Sprinter / Drivematic	
2  wet scrubbing and wet vacuuming <input type="checkbox"/>	Reshine V Antiwax forte classic V Rewit 2000	1 - 2% 0.5 - 1% 0.5 - 1%	V  Microsol fibre pad  Scrubbing brush Filament  Scrubbing brush washbeton	Monomatic I / LS Watertank Twinvac / Duovac	heavily soiled  
cleaning with maintenance care (first protective treatment with same product as in maintenance cleaning)					
3  wet mopping single step <input type="checkbox"/>	Redur Remop	3 - 4% 2 - 3%	Silkysmooth-mop Micro-Mop Top Microbrush-mop	Wetbox system Socar / Drewell Wetcar / Drewell	
3  scrubber drying single step <input type="checkbox"/>	Redur Remop	3 - 4% 2 - 3%	V  Microsol fibre pad  Scrubbing brush Filament  Scrubbing brush Supernylon	Duo- / Discomatic Sprinter / Drivematic	

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

General instructions for cleaning and care

no.35 Synthetic resin treated industrial flooring (structured profile)



maintenance cleaning

object _____

date _____












address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

↓	cleaning method	freq uenc	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle S Combi-nozzle	Monovac Portavac Twinvac	
1	 vacuum sweeping	<input type="checkbox"/>				Kerwit Master Sweep Turbo Sweep	large areas
1	 dusting damp mopping	<input type="checkbox"/>			S Microsol cloth S Synthetic fur	Balit with velcro	
cleaning without maintenance							
2	 wet mopping single step	<input type="checkbox"/>	Ecofloor Reshine Alcosal	0.5 - 1% 1 - 2% 1 - 2%	V S Microbrush-mop Microsmooth-mop Silkysmooth-mop	Wetbox system Wetcar / Drewell Socar / Drewell	
2	 spray mopping (wet mopping)	<input type="checkbox"/>	Ecofloor Reshine Alcosal	0.5 - 1% 1 - 2% 1 - 2%	V Micro nonwoven-1- Micro woven-1- Silkysmooth-1-	Variwet handle Balit with velcro Micro velcro sole	
2	 scrubber drying single step	<input type="checkbox"/>	Ecofloor Reshine Libero	0.5 - 1% 1 - 2% 0.5 - 3%	⊙ Microsol fibre pad V ⊙ Scrubbing brush Filament ⊙ Scrubbing brush Supernylon	Duo- / Discomatic Sprinter / Drivematic	
cleaning with maintenance							
2	 wet mopping single step	<input type="checkbox"/>	Redur Remop	1 - 4% 1 - 2%	V S Microbrush-mop Microsmooth-mop Silkysmooth-mop	Wetbox system Wetcar / Drewell Socar / Drewell	
2	 scrubber drying single step	<input type="checkbox"/>	Redur Remop	1 - 4% 1 - 2%	V ⊙ Microsol fibre pad ⊙ Scrubbing brush Filament ⊙ Scrubbing brush Supernylon	Duo- / Discomatic Sprinter / Drivematic	

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

General instructions for cleaning and care

no.35 Synthetic resin treated industrial flooring (structured profile)



interim cleaning

object _____

date _____



address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

↓	cleaning method	freq uenc	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Monovac Portavac Twinvac	
1	 vacuum sweeping	<input type="checkbox"/>				Speedmatic Twister Master Sweep Turbo Sweep	large areas
1	 dusting damp mopping	<input type="checkbox"/>			S Microsol cloth S Synthetic fur	Balit with velcro	
cleaning without maintenance							
2	 wet mopping two-step	<input type="checkbox"/>	Reshine Polex G Antiwax forte classic	2 - 5% 2 - 4% 2 - 5%	V S Microsmooth-mop Silkysmooth-mop	Socar / Drewell Wetcar / Drewell	 
2	 scrubber drying two-step	<input type="checkbox"/>	Reshine Polex G Antiwax forte classic	2 - 5% 2 - 4% 2 - 5%	Microsol fibre pad V  Scrubbing brush Filament  Scrubbing brush Supernylon	Duo- / Discomatic Sprinter / Drivematic	 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: For initial cleaning after interim cleaning, see "initial cleaning".

General instructions for cleaning and care

no.35 Synthetic resin treated industrial flooring (structured profile)



basic cleaning

object _____

date _____































address _____

customer _____

work process: select one work stage from each number

room classification _____

representative _____

↓	cleaning method	freq uenc	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dry vacuum cleaning	<input type="checkbox"/>			V S Dust roller nozzle V Combi-nozzle	Twinvac Monovac Portavac	
1	 dusting damp mopping	<input type="checkbox"/>			S Microsol cloth S Synthetic fur	Balit with velcro	
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100% 100%			if needed 
cleaning without maintenance							
3	 wet scrubbing and wet vacuuming	<input type="checkbox"/>	Antiwax forte classic Antiwax Antiwax forte	30 - 50% 10 - 30% 30 - 50%	V   	Monomatic I / LS Watertank Twinvac / Duovac	  
3	 scrubber drying two-step	<input type="checkbox"/>	Antiwax forte classic Antiwax Antiwax forte	30 - 50% 10 - 30% 30 - 50%	V   	Duo- / Discomatic Sprinter / Drivematic	large areas   
4	 rinsing	<input type="checkbox"/>		0 100%	V   	Monomatic I / LS Watertank Twinvac / Duovac	 
4	 rinsing	<input type="checkbox"/>		0 100%	V   	Duo- / Discomatic Sprinter / Drivematic	large areas  

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

important: For initial cleaning after basic cleaning, see "initial cleaning".

General instructions for cleaning and care


no.35 Synthetic resin treated industrial flooring (structured profile)



Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.
For security information, see the safety data sheet at www.wetrok.com.
Wear the required personal protective equipment (PPE): e.g. protective gloves, safety goggles, work shoes.
Follow the information and remarks on the label, product data sheet and material safety data sheet.
The product data sheet describes the product and gives information about its application, storage. See www.wetrok.com.
The recommended colours of pad and brushes consist to the actual wWetrok product range.
Follow the special cleaning and care instructions of the floor manufacturer.
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



Do not coat structured floor coverings.
Synthetic resin coverings are sensitive to organic solvents such as acetone.
Do not use solvent-based wax. Danger of slipping!
Do not use maintenance and protection products in wet areas. Danger of slipping!



Synthetic resin coverings consist of epoxy, polyurethane, polyester or acrylic resins, fillers and oxides.
Fillers, such as ground quartz, silica sand and corundum, increase the filling power of the coating compound and provide greater abrasion resistance.
Industrial coverings treated with synthetic resins are non-porous, pressure-resistant, mechanically loaded floor coverings with a mat or a gloss surface.
Industrial coverings treated with synthetic resins are cast or ground without joints or with expansion joints.



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.
Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.
Test on an inconspicuous spot to find which product is suitable for your requirements.
Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.
Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.
For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, telephone +41 (0)43 255 51 51, info@wetrok.ch, www.wetrok.com.