

Carpet (wool or mixed fibre)



cleaning system without treatmen	t
end of construction	

 aate	ect	object
customer	ess	address
representative	on	room classification

work process: select one work stage from each number

work p	work process: select one work stage from each number									
	cleaning method	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments			
1	brush vacuum cleaning			V S		Karpawel Monovac / Picojet	for durable flooring only			
1	dry vacuum cleaning			S	Dust roller nozzle Combi-nozzle	Monovac Portavac Twinvac				
1	vacuum sweeping sweeping				Carpet set - Twister	Speedmatic Twister Master Sweep Turbo Sweep	large areas			
2	stain removal	See cleaning instruction	on no 85				if needed			
	cleaning without maintenance									
3	carpet pad method	Libero Retex	20% 3 - 10%	Ø	Carpet pad	Monomatic LS SmartSpray 5	for durable flooring only			
	irst protective treatment (with the s	same product as in interi	m cleaning)						
4	spraying	Libero	20%			SmartSpray 5	if needed			

^{*} basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

no. 81

Carpet (wool or mixed fibre)

	,	WE	etr	ok	
--	---	----	-----	-----------	--

maintenance cleaning

	date	object
<u> </u>	customer	address
	representative	room classification
	representative	

work process: select one work stage from each number

WOIK	vork process: select one work stage from each number									
	cleaning method	freq uenc	recommendations * chemical products dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments			
1	brush vacuum cleaning			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Karpawel Monovac / Picojet	for durable flooring only			
1	dry vacuum cleaning			S	Dust roller nozzle Combi-nozzle	Monovac Portavac Twinvac				
1	vacuum sweeping sweeping				Carpet set - Twister	Speedmatic Twister Master Sweep Turbo Sweep	large areas			
2	chewing gum removal		Karpfrost100%Karpotek100%			Monovac Portavac Twinvac	repeat until clean			
3	stain removal		See cleaning instruction no 85			 	if needed			

^{*} basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled

no.81



Carpet (wool or mixed fibre)

,	W	et	ro	R

interim cleaning				object		date	
			ad	ddress		customer	
			room classif	ication		representative	
k process: select one work stage from ea	ach numbe	er				- -	
cleaning method	freq uenc	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
brush vacuum cleaning				V S S		IMonovac / Picolet	for durable flooring only

1	brush vacuum cleaning	[]		V S S	Karpawel Monovac / Picojet	for durable flooring only
1	dry vacuum cleaning	;		S Dust roller nozzle Combi-nozzle	Monovac Portavac Twinvac	
1	vacuum sweeping sweeping	[]		Carpet set - Twister	Speedmatic Twister Master Sweep Turbo Sweep	large areas
2	stain removal	[]	See cleaning instruction no 85		I 	if needed
cl	eaning without maintenance)				
3	carpet pad method		Retex 3 - 10% Libero 20%		Monomatic LS Spray unit SmartSpray 5	for durable flooring only
3	spray extraction, direct method		Retex 3 - 10% Libero 20% Fomstop 10 - 20%	Hard floor nozzle Spray nozzle for walls	Extravac	carpet should be pretreated with Libero.
3	wet shampooing		Shampoo 5 - 8%	Shampooing brush	Monomatic LS Watertank	for durable flooring only
4				Dust roller nozzle	Karpawel Monovac / Picojet	Always after shampooing, on a dry surface.

first protective treatment (with the same product as in maintenance cleaning)

Spraying Libero 20% SmartSpray 5 if needed

^{*} basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled important: After shampooing, allow the flooring to dry. Remove dry shampoo residues:brush or dry vacuum.



Carpet (wool or mixed fibre)

V	ve	tro	R

basic cleaning	object	date _	
	address	customer	
	room classification	 renresentative	

work p	process: select one work stage from ea	ach numbe	r						
	cleaning method	freq uenc	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments	
1	brush vacuum cleaning				V S S		Karpawel Monovac / Picojet	for durable flooring only	
1	dry vacuum cleaning	[]			S	Dust roller nozzle Combi-nozzle	Monovac Portavac Twinvac		
2	chewing gum removal	 	Karpfrost Karpotek	100% 100%			Monovac Portavac Twinvac	repeat until clean	
3	stain removal		See cleaning instruction	on no 85				if needed	
	cleaning without maintenand	се							
4	spray extraction, single step		Retex Fomstop	3 - 10% 10 - 20%		Hard floor nozzle Spray nozzle for walls	Extravac SmartSpray 5	for durable flooring only	
4	wet shampooing and spray extraction		Retex Fomstop	3 - 10% 10 - 20%	0	Shampooing brush	Monomatic I / LS Watertank Extravac	heavily soiled	
5	spraying	; 	Biosan	3%			SmartSpray 5	if needed, bad smell could be removed with	
	first protective treatment (wi	th the s)				
5	spraying		Libero	20%			SmartSpray 5	if needed	

^{*} basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / H: Disinfection / P: polishing / S: structured / V: heavily soiled





Carpet (wool or mixed fibre)

wetrok

Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.

For security information, see the safety data sheet at www.wetrok.com.

Wear the required personal protective equipment (PPE): e.g. protective gloves, safety goggles, work shoes.

Follow the information and remarks on the label, product data sheet and material safety data sheet.

The product data sheet describes the product and gives information about its application, storage. See www.wetrok.com.

The recommended colours of pad and brushes consist to the actual wWetrok product range.

Follow the special cleaning and care instructions of the floor manufacturer.

The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



Textile floor coverings made from natural fibres or blended yarn (natural and synthetic fibres) require very careful cleaning. Minimal use of mechanical devices!

Natural fibres such as linen, jute, coconut matting, silk, sisal and wool are mostly insensitive to water.

Acetate, jute, camel hair, silk and wool, among others, are alkaline sensitive.

Acetate, wool, polyamide, among others, are acid sensitive.

Acetate (acetone) and polyacrylic, among others, are solvent sensitive.

Remove stains as quickly as possible. Fresh stains are easier to remove than old ones.

Before wet cleaning, check whether the underside, the backing material and the base material are insensitive to water.

Take care when wet cleaning raised floors and use very little cleaning solution.

Turn off in-floor heating 24 hours before wet cleaning.

Depending on the manufacturing process and the surface, a distinction is made between loop fabric (Reps, Berber, bouclé), cut pile (velour) and needle felt.

The materials used (pile fabric, base material, backing material) determine the system used to clean textile floor coverings.

Distinguishing feature: fire assay: scrape off and set fire to a little fibrous material: wool smells like burnt hair and synthetic fibres melt.



Vacuum textile floors before each cleaning.

Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.

Test on an inconspicuous spot to find which product is suitable for your requirements.

Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.

Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.

For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, telephone +41 (0)43 255 51 51, info@wetrok.ch, www.wetrok.com.